

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

DEC 19 1972

PUNCHED

MASTER CARD

Record by J. Shell Source of data BOWC Date 1/69 Map _____

State 28 County Itawamba (or town) 29

Latitude: 34 17 47 N Longitude: 08 83 22 8 Sequential number: 1

Lat-long accuracy: 7 9 7 14 NW SE SW

Local well number: G048DC1409S07E Other number: _____

Local use: 021 Owner or name: _____

Owner or name: C J HUBBARD Address: Rt 1 Donsog, Mo

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Mad, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: 0 Field aquifer char.

Hyd. lab. data: _____

Qual. water data; type: _____

Freq. sampling: _____ Pumpage inventory: no. period: _____

Aperture cards: _____

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 200 ft Meas. rept. accuracy 3

Depth cased; (first perf.): 35 ft Casing type: _____; Diam. in 5

Finish: porous concrete, gravel w. (perfor.), gravel w. (screen), horiz. (gallery), open end, open perf., screen, sd. pt., shored, open hole, other X

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air percussion, (F) rotary, (G) reverse, (H) trenching, (I) driven, (J) wash, (K) other H

Date Drilled: 966 Pump intake setting: _____ ft

Driller: _____

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) nose, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other S Deep Shallow

Power (type): diesel, elec gas, gasoline, hand, gas, wind; H.P. 1/3 Trans. or meter no. 5

Descrip. MP _____ ft above below LSD, Alt. MP _____

Alt. LSD: 360 Accuracy: (source) 4

Water Level 80 ft above below MP; Ft below LSD 20 Accuracy: _____

Date meas: 566 Yield: _____ rpm Method determined 5

Drawdown: _____ ft Accuracy: _____ Pumping period _____ hrs

QUALITY OF WATER DATA: Iron _____ ppm Sulfate _____ ppm Chloride _____ ppm Hard. _____ ppm

Sp. Conduct _____ K x 10⁶ Temp. _____ °F Date sampled _____

Taste, color, etc. _____

Well No. G 48

Itaumba

G48

5-66

MISSISSIPPI BOARD OF WATER COMMISSIONERS

CODED

CODED

WATER WELL DRILLERS LOG

Date: May 5, 1966, Driller: Herrington-Morgan Well & Supply, Inc.
(When well drilled) P. O. Box 42, County ITW Acadia
SHANNON, MISSISSIPPI 38868 (Where well is located)

(1) Owner of Land:	Description & Color of Materials	Thick-ness Feet	Depth Feet
<u>C. J. Hubbard</u> (Name)	<u>surface sand</u>		
<u>At 1 Dorsey, Mississippi</u> (Address)	<u>& clay</u>		<u>0-30</u>
(2) Location: <u>NW 1/4, SE 1/4, Sec. 14</u> <u>3 SW</u> miles <u>NE</u> (direction), off <u>Highway 14</u> (Nearest Town)	<u>Blue clay</u>		<u>30-80</u>
	<u>Sand</u>		<u>80-200</u>
	<u>Bottom</u>		<u>200</u>
(3) Topography: <u>Hilly</u> (Hilly) (Flat) (Level)			
(4) Purpose of Well: <u>Domestic</u> (Domestic Irrigation, Municipal, Industrial, Other)			

Information upon completion of well:

- (1) Diameter 5 inches.
- (2) Total Depth 200 feet.
- (3) Water Level 90' feet below top of ground.
- (4) Cased to 35', Size 54.
- (5) Screen: Size none, Length —.
- (6) Were any formations sealed against pollution?
— yes, — no.

If YES depth of formation 30'

Why surface sand


Drillers Remarks: —

Yield in gpm: 5 GPM

Size pump: 1/2 HP Sub

Type power: Electric

CODED



Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.