

Well plugged

Fulton

2/78 WIO

Recorded by WTO  
Date 6/2/78

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

**PUNCHED**

**8/78**

TRANSMITTED FOR ADP.

Well No. 567  
E-Log No. 71  
County ITAWAMBA

Site ID 341604088244601 R=0\* T=A\* 2=W\*

GEN. SITE DATA

Data reliab. 3=C\* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=057\*  
Lat. 9=341604\* 10=0882446\* Well No. 12=5067\*  
Location 13=SWSE S25 T09S R08E\* Alt. 16=284\*  
Hyd. Unit (OWDC) 20= Date 21=04/19/1978\*  
Well use 23=Φ\* Water Use 24=U\* Hole depth 27=182.\* Well depth 28=175.\*  
WL 30=8.\* Date 31=06/08/1978\* Source 33=S\*  
Status 273= Project No. 5=

OWNER

R=158\* T=A\* Date 159#04/19/1978\* Owner No. 5W-106B  
Owner 161=USCE 5W 106B Lock C

FIELD ON

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=  
R=192\* T=A\* Date 193# Cond. 196#00095\* 197=  
R=192\* T=A\* Date 193# pH 196#00400\* 197=

CONSTR.

R=58\* T=A\* 59#1\* Date 60=04/19/1978\* Remarks  
Drlg. 63= Name USCE Method 65=H\* Finish 66=S\*

CASING

R=76\* T=A\* 59#1\*  
Top csgn. 77#-3.\* Bot. csgn. 78=60.\* Diam. 79#6.\*  
R=76\* T=A\* 59#1\*  
Top csgn. 77#60.\* Bot. csgn. 78=165.\* Diam. 79#2.\*

OPENINGS

R=82\* T=A\* 59#1\* Top 83#165.\* Bottom 84=175.\*  
Type 85=S\* Diam. 87=2.\* Size 88=.020\*  
R=82\* T=A\* 59#1\* Top 83# Bottom 84=  
Type 85= Diam. 87= Size 88=

YIELD

R= T=A\* 147#-1\* Q 150= Q/S 272=  
134 flows 146 pumped

R=42\* T= A \* Intake 44= Power type 45=

LIFT Date 38= H.P. 46=

R=198\* T= A \* Log 199# E \* Top 200= 5. \* Bot 201= 177. \*

R=198\* T= A \* Log 199# J \* Top 200= 7. \* Bot 201= 182. \*

R=189\* T= A \* E. Log No. 190# 071 \* 191- M I S S D I S T \*

ANAL. R=114\* T= A \* Year 115# Type 120=

R=90\* T= A \* 256# 1 \* Top 91= 150. \* Bot 92= 181. \*

AQUIFERS Unit ID 93= 211 B O R D \* Name of Unit

R=90\* T= A \* 256# 1 \* Top 91= Bot 92=

Unit ID 93= Name of Unit

HYDRAULICS R=98\* T= A \* 99# 1 \* Unit tested 100= 103=

R=105\* T= A \* 106# Test No.

107= Transmissivity (gal/d)/ft


108= Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= Storage coeff. Boundaries

R=121\* T= A \* Yr. Begin 22# 1978 \* Network 258= Y \*

Water Level Data Collection (1)

11/16/80  
W 39



276

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Bureau of Land and Water Resources

COUNTY WELL LOCATED <b>ITAWAMPA</b>	
WELL NUMBER <b>GW 106 E</b>	CODED
DATE WELL PLUGGED <b>10-26-90</b>	


PERMIT NUMBER
NAME OF DRILLING FIRM

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING

NAME & MAILING ADDRESS OF LANDOWNER <b>U.S. ARMY CORPS OF ENG. DIST. MOBILE</b> <b>P.O. Box 2288</b>			
MOBILE AL 36628			
WELL LOCATION	SEC	TOWNSHIP	RANGE
<b>S.W. SEC 32 T. 9 S. R. 2 E</b>			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK <b>BY RR IN FULTON MS</b>			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <b>GROUND WATER STUDY</b>			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
<b>WELL DATA</b>		
Well Depth <b>175'</b>	Casing Diameter (In.) <b>6"</b>	Casing Length (Ft.)
Type of Casing <b>PVC</b>	Mole Depth	Depth to Static Water Level <b>15.9 From GROUND LEVEL</b>
DATE WELL COMPLETED <b>10-26-90</b>		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE. MATERIAL USED IN PLUGGING, ETC.)
<b>PORTLAND CEMENT MIX 1 BAG CEMENT TO 5.5 GALLONS WATER</b>
<b>PUMPED 22.75 BAGS 27.3 C.F. GROUT MIX</b>
<b>CUT 6" PVC RISER PIPE FLUSH WITH GROUND. PULLED GUARD POST</b>
<b>FROM SITE - LEFT WELL SCREEN AND RISER PIPE IN PLACE.</b>

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.	
	<b>10-26-90</b>
SIGNATURE	DATE