

Plugged

TRANSMITTED FOR ARCHIVE 1046

1/91 WTO

Recorded by

Date

10/24/84

U.S. GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT
WELL RECORD

2/86

Well No.

E-Log No.

County

G75

Hannamba

Site ID

3A.15.27.088250.002

R=0*

T=A*

2=W*

Data reliab.

3=C*

Report. agency

4=USGS*

Dist.

6=28*

7=28*

Co.

8=057*

Lat.

Long.

9=3A.15.27.*

10=088.2500.*

Well No.

12=6075.*

NE NW Location

13=NE SW S 36 T 09 S R 08 E.*

Alt.

16=290.*

Hyd. Unit (OWDC)

20=03160101.*

Date

21=0412011978.*

Well use

23=Q.*

Water Use

24=U.*

Hole depth

27=145.*

Well depth

28=138.*

WL

30=19.*

Date

31=0512111985.*

Source

33=S.*

Status

273=.*

Project No.

5=03100.*

R=158*

T=A*

Date

159#0412011978.*

Owner No.

Owner

161#USCE G.W.104B.*

R=192*

T=A*

Date

193# / / / *

Temp.

196#00010*

197= . . . *

R=192*

T=A*

Date

193# / / / *

Cond.

196#00095*

197= . . . *

R=192*

T=A*

Date

193# / / / *

pH

196#00400*

197= . . . *

R=58*

T=A*

59#1*

Date

60=0412011978.*

Remarks

Drig.

63= . . . *

Name

USCE

Method

65=H.*

Finish

66=S.*

R=76*

T=A*

59#1*

PVC

Top csng.

77# 0.*

Bot. csng.

78= 1.29.*

Diam.

79# 1.5.*

R=76*

T=A*

59#1*

Top csng

77# . . . *

Bot. csng.

78= . . . *

Diam.

79# . . . *

R=82*

T=A*

59#1*

Top

83# 1.29.*

Bottom

84= 1.38.*

Type

85=S.*

Diam.

87= 1.5.*

Size

88= .020.*

R=82*

T=A*

59#1*

Top

83# . . . *

Bottom

84= . . . *

Type

85= . . . *

Diam.

87= . . . *

Size

88= . . . *

YIELD

R= . . . *

T=A*

147# 1*

Q

150= . . . *

Q/S

272= . . . *

134 flows 146 pumped

LIFT

R=42* T= A * Lift type 43# * Intake 44= * Power type 45= *

Date 38= / / H.P. 46= *

LOGS

R=198* T= A * Log 199# D * Top 200= 0. * Bot 201= 14.5 *
 R=198* T= A * Log 199# * Top 200= * Bot 201= *
 R=189* T= A * E Log No. 190# * 191= M I S S D I S T *

Elog
Corelog

ANAL.

R=114* T= A * Year 115# * 117= * 120= *

AQUIFERS

R=90* T= A * 256# 1 * Top 91= * Bot 92= *

Unit ID 93= ZILGORD * Name of Unit GORDO

R=90* T= A * 256# 1 * Top 91= * Bot 92= *

Unit ID 93= * Name of Unit

HYDRAULICS

R=98* T= A * 99# 1 * Unit tested 100= * 103= *

R=105* T= A * 99# 1 * Test No. 106# *

107= * Transmissivity (gal/d)/ft _____

108= * Hydraul. cond. (gal/d)/ft² _____

110= * Storage coeff. Boundaries _____

R=121* T= A * Yr Begin 122# 1978 * Network 258# *

Water Level Data Collection (1)
1/2 mi S OF OLD HWY 78

IN FULTON

MP = 3.1

3/5/85 = 22.00

5/21/85 = 19.21

8/25/85 = 21.15

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

COUNTY WELL LOCATED
IATAWAMBA
WELL NUMBER
GW 104 B
CODED
DATE WELL PLUGGED
11-2-90


PERMIT NUMBER
NAME OF DRILLING FIRM

P.O. Box 10631
Jackson, Mississippi 39289-0631
WATER WELL PLUGGING
DECOMMISSIONING

NAME & MAILING ADDRESS OF LANDOWNER
W.S. RAY (FRS) OF ENG DIST MOBILE
P.O. Box 2288
MOBILE AL 36628
WELL LOCATION SEC TOWNSHIP RANGE
NESCS 36 TD 9 SR 08 E
DISTANCE DIRECTION NEAREST TOWN
OTHER LANDMARK
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc
GROUND WATER STUDY

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL
NAME OF LANDOWNER WHEN WELL WAS DRILLED
WELL DATA
Well Depth
138'
Casing Diameter (In.)
2"
Casing Length (Ft.)
Type of Casing
PVC
Hole Depth
Depth to Static Water Level
21' Top of PVC Pipe
DATE WELL COMPLETED
11-2-90

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE. MATERIAL USED IN PLUGGING, ETC.)
PORTLAND CEMENT MIX 1 BAG CEMENT TO 5.5 GALLONS WATER
PUMPED 3 BAGS 3.6 C.F. GROUT MIX
CUT 4" STEEL PROTECTOR PIPE - 2" PVC RISER PIPE AND GUARD
POST FLUSH WITH GROUND - LEFT WELL SCREEN AND RISER
PIPE IN HOLE.

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS

SIGNATURE
11-2-90
DATE