

1/81 WIO

Recorded by WTS

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

2/86

Well No. 581

E-Log No. \_\_\_\_\_

County Itawamba

Date 10/24/84

Plugged

Site ID 341754088272002 R=0\* T=A\* 2=W\*

Data reliab. 3=C\* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=057\*

Lat. \_\_\_\_\_ Long. 9=341754\* 10=0882720\* Well No. 12=5081\*

SW, SW Location 13=N.W.S.W. S 15 T 09 S. R. 08 E\* Alt. 16=278.2\*

Hyd. Unit (OWDC) 20=03160101\* Date 21=0510511978\*

Well use 23=Q\* Water Use 24=U\* Hole depth 27=202.\* Well depth 28=198.\*

WL 30=-2.\* Date 31=0512411985\* Source 33=S\*

Status 273=\* Project No. 5=03100.\*

GEN. SITE DATA

OWNER

R=158\* T=A\* Date 159#0510511978\* Owner No. \_\_\_\_\_

Owner 161#USCE GW1098\*

FIELD QW

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=

R=192\* T=A\* Date 193# Cond. 196#00095\* 197=

R=192\* T=A\* Date 193# pH 196#00400\* 197=

CONSTR.

R=58\* T=A\* 59#1\* Date 60=0510511978\* Remarks \_\_\_\_\_

Drlg. 63= Name USCE Method 65=H\* Finish 66=S\*

CASING

R=76\* T=A\* 59#1\* PVC

Top csgn. 77# Bot. csgn. 78=188.\* Diam. 79#1.5\*

R=76\* T=A\* 59#1\*

Top csgn. 77# Bot. csgn. 78= Diam. 79#

OPENINGS

R=82\* T=A\* 59#1\* Top 83#188.\* Bottom 84=198.\*

Type 85=S\* Diam. 87=1.5\* Size 88=020\*

R=82\* T=A\* 59#1\* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

YIELD

R= \_\_\_\_\_ T=A\* 147# 1\* Q 150= Q/S 272=

134 flows 146 pumped

LIFT

R=42\* T= A \* Lift type 43# \* Intake 44= \* Power type 45= \*

Date 38= / / \* H.P. 46= \* \*

LOGS

R=198\* T= A \* Log 199# D \* Top 200= 0. \* Bot 201= 2.02. \*

R=198\* T= A \* Log 199# \* Top 200= \* \* Bot 201= \* \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \* \*

*Elog  
core log  
attached*

ANAL.

R=114\* T= A \* Year 115# \* 117= \* 120= \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= \* \* Bot 92= \* \*

Unit ID 93= Z.I.I.G.O.R.D. \* Name of Unit GORDO

R=90\* T= A \* 256# 1 \* Top 91= \* \* Bot 92= \* \*

Unit ID 93= \* Name of Unit

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* \* 103= \* \*

R=105\* T= A \* 99# 1 \* Test No. 106# \* \*

107= \* \* Transmissivity (gal/d)/ft

108= \* \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= \* \* Storage coeff. Boundaries

R=121\* T= A \* Yr Begin 122# 1985 \* Network 258# \* \*

Water Level Data Collection (1)  
 3 mi NW OF FULTON  
 MP= 5.6  
 8/20/85 = -2.28  
 5/24/85 = -2.00  
 3/6/85 = -3.75

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Bureau of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING


COUNTY WELL LOCATED <b>ITAWAMBA</b>	
WELL NUMBER <b>GW 109-B</b>	CODED
DATE WELL PLUGGED <b>10-24-90</b>	

PERMIT NUMBER
NAME OF DRILLING FIRM

NAME & MAILING ADDRESS OF LANDOWNER <b>U.S. ARMY CORPS OF ENG. DIST. MOBILE</b>			
<b>P.O. Box 2288</b>			
<b>MOBILE AL 36628</b>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
<b>NWSWS15TD9SRDEE</b>			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc <b>GROUND WATER STUDY</b>			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
<b>WELL DATA</b>		
Well Depth <b>198</b>	Casing Diameter (In.) <b>2"</b>	Casing Length (Ft.)
Type of Casing <b>PVC</b>	Hole Depth	Depth to Static Water Level <b>+0.7 ABOVE</b>
DATE WELL COMPLETED <b>10-24-90</b>		<b>GROUND SURFACE</b>

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE. MATERIAL USED IN PLUGGING, ETC.)
<b>PORTLAND CEMENT MIX 1 BAG CEMENT TO 5.5 GALLONS WATER</b>
<b>PUMPED 3 BAGS CEMENT 3.6 C.F. GROUT MIX</b>
<b>PULLED 4" PROTECTIVE STEEL PIPE AND BOARD PAST FROM SITE</b>
<b>PUT PVC RISER PIPE FLUSH WITH GROUND - LEFT WELL</b>
<b>SCREEN AND RISER PIPE IN HOLE</b>

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS	
 _____ SIGNATURE	<b>10-24-90</b> DATE