

Plugged  
TRANSMITTED FOR ADP BF 173-75

1/81 WTO

Recorded by

Date

10/24/82

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No.

E-Log No.

County

Itawamba

Site ID

34.12.33.08.8.23.4.7.0.1

R=0\*

T=A\*

2=W\*

Data reliab.

3=C\*

Report. agency.

4=USGS\*

Dist.

6=28\*

7=28\*

Co.

8=057\*

Lat.

Long./

9=34.12.33\*

10=08.8.23.4.7\*

Well No.

12=L022\*

Location

13=NESE 18 T 10 S R 09 E\*

Alt.

16=252.2\*

Hyd. Unit (OWDC)

20=03160101\*

Date

21=07.1.15.1.19.75\*

Well use

23=0\*

Water Use

24=U\*

Hole depth

27=51\*

Well depth

28=51\*

WL

30=-3\*

Date

31=05.20.1.19.85\*

Source

33=S\*

Status

273=\*

Project No.

5=03100\*

R=158\*

T=A\*

Date

159# 07.1.15.1.19.75\*

Owner No.

Owner

161# USCE BF 173-75\*

R=192\*

T=A\*

Date

193# / / / \*

Temp.

196#00010\*

197=

R=192\*

T=A\*

Date

193# / / / \*

Cond.

196#00095\*

197=

R=192\*

T=A\*

Date

193# / / / \*

pH

196#00400\*

197=

R=58\*

T=A\*

Date

59#1\* 60=07.1.15.1.19.75\*

Remarks

Drig.

63=

Name USCE

Method

65=H\*

Finish

66=5\*

R=76\*

T=A\*

Date

59#1\*

PUC

Top csng.

77# 10\*

Bot. csng.

78=46\*

Diam.

79# 1.5\*

R=76\*

T=A\*

Date

59#1\*

Top csng

77#

Bot. csng.

78=

Diam.

79#

R=82\*

T=A\*

Date

59#1\*

Top

83# 46\*

Bottom

84=51\*

Type

85=S\*

Diam.

87=1.5\*

Size

88=.020\*

R=82\*

T=A\*

Date

59#1\*

Top

83#

Bottom

84=

Type

85=

Diam.

87=

Size

88=

YIELD

R=

T=A\*

147# 1\*

Q

150=

Q/S

272=

134 flows 146 pumped

197-2114

LIFT

R=42\* T= A \* Lift type 43# \* Intake 44# \* Power type 45# \*

Date 38# / / H.P. 46# \*

LOGS

R=198\* T= A \* Log 199# D \* Top 200# 0. \* Bot 201# 50. \*

R=198# T= A \* Log 199# \* Top 200# \* Bot 201# \*

R=189# T= A \* E Log No. 190# \* 191# M I S S D I S T \*

core log attached

ANAL

R=114# T= A \* Year 115# \* 117# \* 120# \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91# \* Bot 92# \*

Unit ID 93# Z. L. GORD \* Name of Unit

R=90\* T= A \* 256# 1 \* Top 91# \* Bot 92# \*

Unit ID 93# \* Name of Unit

HYDRAULICS

R=98# T= A \* 99# 1 \* Unit tested 100# \* 105# \*

R=105# T= A \* 99# 1 \* Test No. 106# \*

107# \* Transmissivity (gal/d)/ft

108# \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110# \* Storage coeff. Boundaries

R=121# T= A \* Yr Begin 122# 1, 9, 7, 5 \* Network 258# \*

Water Level Data Collection (1)

4 M S. OF FULTON

MP= 3.3

8/25/85 = -1.75

5/20/85 = -3.27

3/5/85 = 0.20

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Bureau of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING

COUNTY WELL LOCATED <b>ITAWAMBA</b>		PERMIT NUMBER	
WELL NUMBER <b>BF-173-75</b>	CODED	NAME OF DRILLING FIRM	
DATE WELL PLUGGED <b>11-1-90</b>			
NAME & MAILING ADDRESS OF LANDOWNER <b>U.S. ARMY CORPS OF ENG DIST MOBILE</b> <b>P.O. BOX 2288</b> <b>MOBILE AL 36628</b>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL	
WELL LOCATION    SEC    TOWNSHIP    RANGE <b>NESESIBTIO S R 09 E</b>		NAME OF LANDOWNER WHEN WELL WAS DRILLED	
DISTANCE    DIRECTION    NEAREST TOWN		<b>WELL DATA</b>	
OTHER LANDMARK		Well Depth <b>51'</b>	Casing Diameter (In.) <b>2"</b>
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc <b>GROUND WATER STUDY</b>		Type of Casing <b>PVC</b>	Hole Depth
		Depth to Static Water Level <b>+0.9 ABOVE GROUND SURFACE</b>	
		DATE WELL COMPLETED <b>11-1-90</b>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.  
MATERIAL USED IN PLUGGING ETC.)

**PORTLAND CEMENT MIX 1 BAG CEMENT TO 5.5 GALLONS WATER**

**PUMPED 1.5 BAGS 1.8 C.F. GROUT MIX**

**PULLED 4" STEEL PROTECTOR PIPE AND GUARD POST. PUT 2"**

**PVC RISER PIPE FLUSH WITH GROUND. LEFT WELL SCREEN**

**AND RISER PIPE IN HOLE**

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS

*James Childers*  
SIGNATURE

**11-1-90**  
DATE