

WRD Exp. (GW)
April 1966

Well No. **M 4**

WELL SCHEDULE

GEOLOGICAL SURVEY

U. S. DEPT. OF THE INTERIOR

PUNCHED

NOV 28 1972

MASTER CARD

Record by J. HARRELL Source of data BOWC Date 5/22/68 Map

State 28 County (or town) ITAWAMBA 29

Latitude: 34^{deg} 14^{min} 00^{sec} N Longitude: 088^{degrees} 15^{min} 45^{sec} W

Lat-long accuracy: 5 T. 100 R. 10 S. Sec. 09 T. NW R. NW

Local well number: M 004580910510E Other number:

Local use: 071 Owner or name:

Owner or name: ITAWAMBA MFG CO Address: Tremont, Miss

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist

Use of Air cond, Bottling, Comm, De-water, Power, Fire, Doa, Irr, Med, Ind, P S, Rec,

water: Stock, Inact, Unused, Re-pression, Recharge, Desal-P S, Desal-other, Other

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed

DATA AVAILABLE: Well data Freq. W/L Meas.: Field aquifer char:

Hyd. lab. data:

Qual. water data, type:

Freq. sampling: Pumpage inventory: period:

Aperture cards:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 71 ft. 71 Meas. rept 3

Depth cased: (first perf.) 61 ft. 61 Casing type: 4 in. 4

Finish: porous concrete, gravel w. concrete, gravel w. (screen), horis. gallery, end, perf., screen, sd. pt., shored, open hole, other

Method Drilled: air bored, cable, dug, hyd jetted, air rot, percussion, rotary, reverse trenching, driven, drive wash, other

Date Drilled: 7/60 9:00 Pump intake setting: 34 ft. 34

Driller: H. J. REEVES address

Lift (type): air, bucket, cent, jet, multiple, multiple, nose, piston, rot, submerg, turb, other S Deep 5 Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. S Trans. or meter no.

Descrip. MP 345 ft above ft below LSD. Alt. MP

Alt. LSD: 340 Accuracy: (source) topo 4

Water Level 23 ft above below MP; Ft. below LSD 23 Accuracy: D

Date meas: 7/60 7:00 Yield: 30 gpm 30 Method determined 31

Drawdown: 30 ft 30 Accuracy: 30 Pumping period 30 hrs 30

QUALITY OF WATER DATA: Iron 30 ppm 30 Sulfate 30 ppm 30 Chloride 30 ppm 30 Hard. 30 ppm 30

Sp. Conduct 30 K x 10 30 Temp. 30 °F 30 Date sampled 7/60

Taste, color, etc.

1-18-61

Well No. 3

