

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED and VERIFIED
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J. HARRELL Source of data BOWC Date 4/2/68 Map _____

State 28 County (or town) JACKSON 30

Latitude: 3 deg 03 min 45 sec N Longitude: 088 degrees 33 min 52 sec W Sequential number: 1

Lat-long accuracy: 4 T. 4 N. 6 E. Sec. 27, SE SE B & M

Local well number: C023D02704506W Other number: _____

Local use: 006 Owner or name: _____

Owner or name: WILLIE GREEN Address: WADE

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data: _____

Qual. water data; type: _____

Freq. sampling: _____ Pumpage inventory: yes, no, period: _____

Aperture cards: _____

Log data: _____

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 346 ft 346 Meas. rept accuracy 3

Depth cased: 336 ft 336 Casing type: _____; Diam. 1/4 in 1

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (P) open end, (S) perf., (T) screen, (W) sd. pt., (X) shored, (Z) open hole, other 5

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd. rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other H

Date Drilled: 8/1/62 962 Pump intake setting: _____ ft _____

Driller: FILM COLVILLE name address

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., other N Deep Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P. Trans. or meter no. _____

Descrip. MP _____ ft above below LSD. Alt. MP _____

Alt. LSD: 50 Accuracy: (source) 47

Water Level +8 ft above below MP; Ft below LSD +8 Accuracy: 52

Date meas: 8/1/62 862 Yield: _____ gpm _____ Method determined _____

Drawdown: _____ ft _____ Accuracy: _____ Pumping period _____ hrs _____

QUALITY OF WATER DATA: Iron _____ ppm _____ Sulfate _____ ppm _____ Chloride _____ ppm _____ Hard. _____

Sp. Conduct _____ K x 10⁶ _____ Temp. _____ °F _____ Date sampled _____

Taste, color, etc. _____

Well No. C23

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: _____

D Drainage Basin: 130 Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat
(Φ) (P) (S) (T) (U) (V)

MAJOR AQUIFER: system _____ series PM aquifer, formation, group PA

Lithology: _____ Origin: 3 Aquifer Thickness: _____ ft

Length of well open to: _____ ft 10 Depth to top of: _____ ft

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft _____ Depth to top of: _____ ft

Intervals Screened: 1/4

Depth to consolidated rock: _____ ft _____ Source of data: _____


Depth to basement: _____ ft _____ Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____

1 MILE N. WADE



Interval	Depth (ft)	Material
0-10	0-10	Topsoil
10-20	10-20	Clay
20-30	20-30	Clay
30-40	30-40	Clay
40-50	40-50	Clay
50-60	50-60	Clay
60-70	60-70	Clay
70-80	70-80	Clay
80-90	80-90	Clay
90-100	90-100	Clay
100-110	100-110	Clay
110-120	110-120	Clay
120-130	120-130	Clay
130-140	130-140	Clay
140-150	140-150	Clay
150-160	150-160	Clay
160-170	160-170	Clay
170-180	170-180	Clay
180-190	180-190	Clay
190-200	190-200	Clay
200-210	200-210	Clay
210-220	210-220	Clay
220-230	220-230	Clay
230-240	230-240	Clay
240-250	240-250	Clay
250-260	250-260	Clay
260-270	260-270	Clay
270-280	270-280	Clay
280-290	280-290	Clay
290-300	290-300	Clay
300-310	300-310	Clay
310-320	310-320	Clay
320-330	320-330	Clay
330-340	330-340	Clay
340-350	340-350	Clay
350-360	350-360	Clay
360-370	360-370	Clay
370-380	370-380	Clay
380-390	380-390	Clay
390-400	390-400	Clay
400-410	400-410	Clay
410-420	410-420	Clay
420-430	420-430	Clay
430-440	430-440	Clay
440-450	440-450	Clay
450-460	450-460	Clay
460-470	460-470	Clay
470-480	470-480	Clay
480-490	480-490	Clay
490-500	490-500	Clay

Well No. C23

