

WELL SCHEDULE

37513

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Record by J. Shell Source of data BOWC Date 3/64 Map \_\_\_\_\_

State 28 County (or town) Jackson 30

Latitude: 303900N Longitude: 0883340 Sequential number: 1

Lat-long accuracy: 3 T. 4 R. 6 Sec 35 NW SW

Local well number: C035BC3504E06W Other number: \_\_\_\_\_ B & M

Local use: 006 Owner or name: H. EDGAR GOFF Address: Wade, Miss

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (B) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 6.8 Meas. rept accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 6.3 Casing type: Galv. Diam. \_\_\_\_\_ in 2

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), horiz. gallery, end, open perf., screen, sd. pt., shored, open hole, other S

Method: (A) air bored, cable, dug, hyd rot., (B) \_\_\_\_\_, (C) \_\_\_\_\_, (D) \_\_\_\_\_, (E) \_\_\_\_\_, (F) \_\_\_\_\_, (G) \_\_\_\_\_, (H) \_\_\_\_\_, (I) \_\_\_\_\_, (J) \_\_\_\_\_, (K) \_\_\_\_\_, (L) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (O) \_\_\_\_\_, (P) \_\_\_\_\_, (Q) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Y) \_\_\_\_\_, (Z) \_\_\_\_\_ H

Date Drilled: 9.6.6 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Colville name address \_\_\_\_\_

Lift (type): (A) air, bucket, cent, jet, (B) \_\_\_\_\_, (C) \_\_\_\_\_, (D) \_\_\_\_\_, (E) \_\_\_\_\_, (F) \_\_\_\_\_, (G) \_\_\_\_\_, (H) \_\_\_\_\_, (I) \_\_\_\_\_, (J) \_\_\_\_\_, (K) \_\_\_\_\_, (L) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (O) \_\_\_\_\_, (P) \_\_\_\_\_, (Q) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Y) \_\_\_\_\_, (Z) \_\_\_\_\_ J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: CF 10 4

Water Level: 13 ft above below MP; Ft below LSD 13 Accuracy: \_\_\_\_\_ D

Date meas: 4.6.6 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. C 35

Well No. C 35

Latitude-longitude N  
S

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 13Q Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series TP aquifer, formation, group GF

Lithology: \_\_\_\_\_ Origin: S Aquifer Thickness: 33 ft

Length of well open to: \_\_\_\_\_ ft 5 Depth to top of: \_\_\_\_\_ ft 3.5

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 2" Plastic

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

|             |           |           |
|-------------|-----------|-----------|
| encountered |           |           |
| <u>Clay</u> | <u>0</u>  | <u>35</u> |
| <u>sand</u> | <u>35</u> | <u>68</u> |
|             |           |           |
|             |           |           |



Well No.

C 35

