

WRD Exp. (GW)  
April 1966

Well No. D13

WELL SCHEDULE  
GEOLOGICAL SURVEY

Elog 130  
WATER RESOURCES DIVISION

U. S. DEPT. OF THE INTERIOR

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by T.N.S. Source of data Driller Date 7/19/60 Map \_\_\_\_\_

State 28 County Jackson 30  
(or town)

Latitude: 304345 N Longitude: 0883031 Sequential number: 1  
5 deg 7 min 9 sec 11 S 12 degrees 15 min 18 sec 19

Lat-long accuracy: 2 T. 3 S. R. 3 W. Sec. 5, SE 1/4, NW 1/4, \_\_\_\_\_

Local well number: D0139B0503505W Other number: \_\_\_\_\_ B & M

Local use: 103 Owner or name: \_\_\_\_\_

Owner or name: U S S S E 12 Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ 67 F

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instt, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other \_\_\_\_\_ 68 E

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ 69 T

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_ 70 71 72

Hyd. lab. data: \_\_\_\_\_ 73

Qual. water data; type: \_\_\_\_\_ 74

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ yes no, period: \_\_\_\_\_ 75 76

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_ 77

Log data: \_\_\_\_\_ 0'-903 \_\_\_\_\_ 78 79 E

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 903 Meas. accuracy \_\_\_\_\_ 24 0

Depth cased: \_\_\_\_\_ ft \_\_\_\_\_ Casing type: Steel; Diam. \_\_\_\_\_ in \_\_\_\_\_ 25 28 29 30

Finish: porous concrete, (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_ 31

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) percussion, (F) rotary, (G) reverse, (H) trenching, (I) driven, (J) wash, (K) other \_\_\_\_\_ 32

Date Drilled: \_\_\_\_\_ Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 33 35 36 38

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 39 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_ 41

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47 4

Water Level \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_ 48 51 52

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_ 53 55 56 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 62 64 65 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 69 70 71 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 73 74 76 77 79

Taste, color, etc. \_\_\_\_\_

Well No.

D13

