

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD  
303910083301501

APR 3 1974

Record by J.A. Callahan Source of data Bowc Date 1/2/74 Map \_\_\_\_\_

State \_\_\_\_\_ County (or town) Jackson \_\_\_\_\_

Latitude: 30<sup>5</sup>0<sup>7</sup>3<sup>9</sup>L<sup>0</sup>N<sup>11</sup> Longitude: 0<sup>8</sup>9<sup>30<sup>4</sup>5<sup>19</sup> Sequential number: 1</sup>

Lat-long accuracy: 4<sup>20</sup> T 4<sup>21</sup> N 5<sup>22</sup> R 5<sup>23</sup> E Sec 32 \_\_\_\_\_ S SE SW \_\_\_\_\_ B & M

Local well number: 0<sup>24</sup>0<sup>25</sup>4<sup>26</sup>5<sup>27</sup>D<sup>28</sup>C<sup>29</sup>3<sup>30</sup>2<sup>31</sup>0<sup>32</sup>4<sup>33</sup>S<sup>34</sup>0<sup>35</sup>5<sup>36</sup>W Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: G. WEBB Address: Harley MS

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, \_\_\_\_\_

(S) Stock, Inscit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_ W

DATA AVAILABLE: Well data \_\_\_\_\_ Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: 3/24/73

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft \_\_\_\_\_ Meas. \_\_\_\_\_

Depth cased: \_\_\_\_\_ ft \_\_\_\_\_ Casing type: Sac Diam. \_\_\_\_\_

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), gravel w. gallery, horiz. open end, open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other \_\_\_\_\_

Date Drilled: 9.7.73 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Colville Water Supply address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: 8/9/73 \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 13R Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (M) (N) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TM \_\_\_\_\_ aquifer, formation, group D/A

Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: 13 ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 376

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

**Intervals Screened:**

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

3/24/93  
C = 228

Sand	0	44
Clay	44	376
Sand	376	387



Well No. \_\_\_\_\_

GWSI UPDATES

Well No D45  
 County JACKSON

HARLESTON

Item No	Changes		Requested by		Updated by	
	From	To	Initial	Date	Initial	Date
C3	U	C	DEB	14/2/98	[initials]	1/2/98
C5	-	CL	"	"	"	"
C9	30 39 10	30 39 05	"	"	"	"
C10	088 30 15	088 30 29	"	"	"	"
C13	SE SW 32 T45R5W	NE SW 32 T04SR05W	"	"	"	"
C16		85.				

8/4  
04-29