

WELL SCHEDULE

3743

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J.S. Source of data BOWC Date 12/69 Map \_\_\_\_\_

State 04 28 County (or town) Jackson 30

Latitude: 39 39 15 N Longitude: 088 51 18 Sequential number: 1

Lat-long accuracy: 3 5 9 26 15 SE Other number: \_\_\_\_\_ B & M

Local well number: E033AID2605S09W Other number: \_\_\_\_\_

Local use: 088 Owner or name: \_\_\_\_\_

Owner or name: GARY CASEY Address: Ocean Spigs

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other \_\_\_\_\_ H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes,  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 238 Meas. rept accuracy \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft 225 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) horiz. open hole, (K) other \_\_\_\_\_ C

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other \_\_\_\_\_ H

Date Drilled: 969 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; (H) H.P. 3/4 Trans. or meter no. \_\_\_\_\_ S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ 110 Accuracy: (source) \_\_\_\_\_ CF

Water Level: 45 ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD Accuracy: \_\_\_\_\_ D

Date meas: 969 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. E 33

Latitude-longitude N  
S

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

**D** Drainage Basin: 1310 Subbasin: \_\_\_\_\_

**Topo of well site:** (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (R) (K) (L) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat 27

**MAJOR AQUIFER:** system: \_\_\_\_\_ series: TM aquifer, formation, group: PA

**Lithology:** Origin: S Aquifer Thickness: 27 ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** 271 ft

**MINOR AQUIFER:** system: \_\_\_\_\_ series: \_\_\_\_\_ aquifer, formation, group: \_\_\_\_\_

**Lithology:** Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:** 8 ga SS

**Depth to consolidated rock:** \_\_\_\_\_ ft Source of data: \_\_\_\_\_


**Depth to basement:** \_\_\_\_\_ ft Source of data: \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

**Coefficient Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

clay	0	17
sand	17	35
clay	35	152
sand	152	157
clay	157	171
sand fine	171	181
mixed	181	191
clay	191	211
sand fair	211	238



Well No. \_\_\_\_\_

*Handwritten notes:*  
 A  
 W  
 W

