

SITE ID. 303630088335902

WRD Exp. (GW)  
April 1966

Well No. G33

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

#### MASTER CARD

Record by J. HARRELL Source of data BOWC Date 4/9/68 Map 3409  
 State 6 28 County JACKSON 30  
 Latitude: 30 36 30 N Longitude: 08 8 32 W Sequential number: 42  
 Lat-long accuracy: 3 T. 5 R. 6 Sec 15 NE 1 NE 1 SE 1  
 Local well number: G033AD1505506W Other number: 18421 GEORGE CUMMEST RD.  
 Local use: 006 Owner or name: FRANK INGRAM Address: WADE  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, H  
 water: (S) (T) (U) (V) (W) (X) (Y) (Z)  
 Stock, Instit, Unused, Recharge, Recharge, Desal-P S, Desal-other, Other H  
 Use of (A) (D) (G) (H) (I) (P) (R) (T) (U) (W) (X) (Z) W  
 well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W  
 DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data:   
 Qual. water data; type:   
 Freq. sampling:  Pumpage inventory:  yes  no  period:   
 Aperture cards:  yes   
 Log data:  D

375 D  
THREE RIVERS  
8/31/88  
T=25.3  
C=650  
pH=8.85

#### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 808 ft 808 Meas. 3  
 Depth cased: 798 ft 798 Casing type: 2 in 2  
 Finish: porous concrete, gravel w. (perf.), (screen), gallery, end, other S  
 Method (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (X) (Z) H  
 Drilled: air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive rot., rot., percussion, rotary, wash, other H  
 Date Drilled: 9/26/62 9.6.2 Pump intake setting: 36 ft 38  
 Driller: FTLM COLVILLE  
 Lift (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (Z) T Deep  Shallow   
 (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other T  
 Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. S Trans. or meter no. 5  
 Descrip. MP 43 ft below LSD: Alt. MP 47 4  
 Accuracy: (source) 4  
 Water Level 25 ft above below MP; Ft. below LSD 25 Accuracy: D  
 Date meas: 9/26/62 9.6.2 Yield: 61 gpm Method determined 61  
 Drawdown: 62 ft Accuracy: 65 Pumping period: 66 hrs 68  
 QUALITY OF WATER DATA: Iron 69 Sulfate 70 Chloride 71 Hard. 72  
 Sp. Conduct 73 K x 10<sup>6</sup> Temp. 74 76 Date sampled 77 79  
 Taste, color, etc.

FLows

Well No. G33

Well No. G 33

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: \_\_\_\_\_ Section: 03

Drainage Basin: D Subbasin: 13Q

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

93/714 =  
122 PCGL

MAJOR AQUIFER: system \_\_\_\_\_ series TM aquifer, formation, group MZ

Lithology: US Origin: 3 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 2"

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

3 miles S, WADE



0-21	red clay
21-42	red clay
42-63	sandy clay
63-120	sand and gravel
120-395	clay
395-399	Fine sand
399-525	clay & sand streaks
525-542	sand
542-546	streaks
546-687	Hard clay
687-692	sand
692-703	clay
703-714	sand
714-809	streaks

Well No. G 33

