

SITE ID-303738088342802 WELL SCHEDULE

375D

U.S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Record by J. Shell Source of data Bowc Date 5/69

State 20 County 28 (or town) Jackson 30

Latitude: 30 37 38 N Longitude: 08 34 28 Sequential number: 2

Lat-long accuracy: 3 T. 5 R. 6 Sec. 10 NE, NE, NWSE

Local well number: G060AB1005506W Other well number: \_\_\_\_\_

Local use: 006 Owner or name: E FANNER Address: Wade

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, (B) Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (C) Stock, (D) Instit, (E) Unused, (F) Reppure, (G) Recharge, (H) Desal-P S, (I) Desal-other, (J) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period:

Aperture cards:  yes  no

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 393 ft Meas. rept accuracy 3

Depth cased; (first perf.) 368 ft Casing type: Galv.; Diam. in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) rotary, (J) trenching, (K) driven, (L) wash, (M) other H

Date Drilled: 967 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): diesel, (elec) gas, gasoline, hand, gas, wind; H.P. 1/2 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ above ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 50 Accuracy: (source) CI

Water Level +2 ft above below MP; Ft below LSD +2 Accuracy: \_\_\_\_\_

Date meas: 967 Yield: \_\_\_\_\_ gpm Method determined 6

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. G 60

Well No. G 60

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD**      Physiographic Province: \_\_\_\_\_      Section: 03

Drainage Basin: D      Subbasin: 130

Topo of well site: (D) (C) (E) (F) (H) (K) (L) (N) (P) (S) (T) (U) (V)  
depression, stream channel, dunes, flat, hilltop, sink, swamp,  
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series TM aquifer, formation, group MZ

Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: 36 ft

Length of well open to: \_\_\_\_\_ ft      Depth to top of: 357 ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft      Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 2" SS

Depth to consolidated rock: \_\_\_\_\_ ft      Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft      Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_      Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft      Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

Section of formations encountered	from	to
clay	0	30
sand	30	88
clay	88	351
sand	351	393



Well No.

G 60

