

Well No. G 61

SITE ID: 303618088341501  
U. S. DEPT. OF THE INTERIOR

WELL SCHEDULE  
GEOLOGICAL SURVEY

375D  
WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by JS Source of data BOWL Date 1/70 Map \_\_\_\_\_

State 44 County 28 (or town) Jackson 30

Latitude: 30<sup>deg</sup> 36<sup>min</sup> 78<sup>sec</sup> N Longitude: 088<sup>degrees</sup> 34<sup>min</sup> 15<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 3 T 5 R 6 Sec 15 t. SE t. NE Other well number: \_\_\_\_\_ B & M

Local well number: G061CD1505S06W Owner or name: JESSE DAVIS Address: Wade, Ms.

Local use: 006 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 250 ft Meas. 3 accuracy

Depth cased: (first perf.) 246 ft Casing type: Gulv Diam. 2 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horz. gallery, (I) open end, (J) other, (K) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd, (F) jetted, (G) air rot., (H) reverse percussion, (I) rotary, (J) reverse, (K) trenching, (L) driven, (M) drive wash, (N) other H

Date Drilled: 9/68 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot., (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1/2 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 75 Accuracy: (source) 4

Water Level 19 ft above MP; Ft below LSD 119 Accuracy: \_\_\_\_\_

Date meas: 268 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. G 61

Well No. G 61

Latitude-longitude N  
S  
 d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

**Drainage Basin:** D 130 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat, (F) \_\_\_\_\_, (G) \_\_\_\_\_, (H) \_\_\_\_\_, (I) \_\_\_\_\_, (J) \_\_\_\_\_, (K) \_\_\_\_\_, (L) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (O) \_\_\_\_\_, (P) \_\_\_\_\_, (Q) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_

**MAJOR AQUIFER:** system \_\_\_\_\_ series Tm aquifer, formation, group m2

Lithology: US Origin: 3 Aquifer Thickness: 12 ft

Length of well open to: \_\_\_\_\_ ft. 4 Depth to top of: 238 ft

**MINOR AQUIFER:** system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft. \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 2" SS

Depth to consolidated rock: \_\_\_\_\_ ft. Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft. Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft. Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

entered	from	to
clay	0	10
sand	10	95
clay	95	238
sand	238	250



Well No.

G 61

