

H 21

376C

SITE ID: 303532088282501 U. S. DEPT. OF THE INTERIOR

WELL SCHEDULE GEOLOGICAL SURVEY

WATER RESOURCES DIVISION PUNCHED and VERIFIED ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J. Shell Source of data Bowe Date 5/69 Map

State 1 28 County (or town) Jackson 39

Latitude: 30 35 32 N Longitude: 088 28 25 W Sequential number: 1

Lat-long accuracy: 3 T. 5 N R 5 E Sec 22. 4 1/2 SW

Local well number: H021AC2205S05W Other number: B & M

Local use: 006 Owner or name:

Owner or name: WALTER GIFF Address: Big Point, Miss.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 69 ft Meas. rept accuracy 3

Depth cased: 4 ft Casing type: Galv. Diam. 2 in

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) rotary, (U) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 9 6 7 Pump intake setting: ft

Driller: name address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other J Deep Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. S Trans. or meter no.

Descrip. MP 6 ft above below LSD, Alt. MP

Alt. LSD: 55 Accuracy: (source) CI 10 4

Water Level: 24 ft above below MP; Ft below LSD 24 Accuracy: D

Date meas: 8 6 7 Yield: gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron Sulfate Chloride Hard. ppm

Sp. Conduct K x 10 Temp. Date sampled

Taste, color, etc.

Well No. H 21

Well No. H 21

Latitude-longitude \_\_\_\_\_  
 N  
 S  
 d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD  Physiographic Province: \_\_\_\_\_ Section: 0.3

Drainage Basin: D 1312 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (R) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TP \_\_\_\_\_ aquifer, formation, group CI

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: 25 ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 44

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 2" Plastic

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

Sand	0	40
clay	40	44
Sand	44	69



Well No. H 21

