

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

303215088443301 MASTER CARD

Δ5=CL

Record by B.D. Source of data BOWC Date 3-71 Map

State 040 28 County Jackson 30

Latitude: 303215N Longitude: 0884433 Sequential number: 1

Lat-long accuracy: 5 T 6 N 8 R 8 Sec 23 SE NE SE NE

Local well number: J083 1206508W Other number: B & M

Local use: 051 Owner or name: JAMES FLURRY Address: Ocean Sp.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: period:

Aperture cards: yes

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

Log data:

VAN CLEAVE 375C

4/1/93 C=440

TRANSMITTED FOR ADP

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 570 Meas. rept accuracy 3

Depth cased: 360 Casing type: 2 Diam. in 29

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), horiz. gallery, open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd, (E) jetted, (F) air, (G) reverse, (H) trenching, (I) driven, (J) drive wash, (K) other 4

Date Drilled: 963 Pump intake setting: 36 ft 38

Driller: Hatt, Butane name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep 40 Shallow 39

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. S Trans. or meter no. 41

Descrip. MP 69 ft above LSD, Alt. MP 80 ft below LSD

Alt. LSD: 43 Accuracy: Topo 10' contour 4

Water Level: 43 ft above MP; 43 ft below LSD Accuracy: D

Date meas: N:03 Yield: 30 gpm Method determined 61

Drawdown: 42 ft Accuracy: 65 hrs 68

WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72 ppm

Sp. Conduct 73 K x 10⁶ Temp. 74 °F Date sampled 77

Taste, color, etc. 78

Well No.

J83

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

303215088443301
MASTER CARD

C5=CL

Record by B.D. Source of data BOWC Date 3-71 Map

State 040 28 County (or town) Jackson 58 30

Latitude: 30³27⁵5¹ N Longitude: 0⁸8⁴4³ S Sequential number: 1

Lat-long accuracy: 5 T 6 N R 8 E Sec 22 SE NE SE NE

Local well number: 7083 1206508W Other number: B & M

Local use: 051 Owner or name:

Owner or name: JAMES FLUARY Address: 000 Sp

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: no. period:

Aperture cards:

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 370 ft Meas. 3 accuracy

Depth cased: 360 ft Casing type: 5 Diam. 2 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (Ø) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other 4

Date Drilled: 963 Pump intake setting: 30 ft

Driller: Hath. Butane address

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other J Deep Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) LP S Trans. or meter no. 41

Descrip. MP 69 ft above LSD, Alt. MP 80 ft below LSD

Alt. LSD: 80 Accuracy: Topo 10' contour 4

Water Level: 43 ft above MP; 43 ft below LSD Accuracy: D

Date meas: N 63 Yield: 60 gpm Method determined 61

Drawdown: 62 ft Accuracy: 63 Pumping period 64 hrs 65

QUALITY OF WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72 ppm

Sp. Conduct 73 K x 10 74 Temp. 75 °F Date sampled 76

Taste, color, etc. 77

VAN CLEAVE
375C

4/1/93
C=440
29

TRANSMITTED FOR ADP

Well No.

J83

Well No. J

Latitude-longitude _____ N _____ S _____ d _____ m _____ s

ARRANGED FOR VHS

VAN

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: _____ 03 Section: _____

D Drainage Basin: _____ 130 Subbasin: _____

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (R) hilltop, (K) sink, (L) swamp, (P) offshore, (S) pediment, (T) hillside, (U) terrace, (V) undulating, valley flat

MAJOR AQUIFER: _____ system _____ series 1M _____ aquifer, formation, group PA

Lithology: _____ Origin: US Aquifer Thickness: 3 50 ft

Length of well open to: _____ ft 10 Depth to top of: _____ ft 320

MINOR AQUIFER: _____ system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft _____ Depth to top of: _____ ft _____

Intervals Screened: 2"


Depth to consolidated rock: _____ ft _____ Source of data: _____

Depth to basement: _____ ft _____ Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No. J-83