

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**JUL 13 1973**

MASTER CARD

Record by JCM Source of data BOWC Date 7-73 Map \_\_\_\_\_

State 28 County (or town) Jackson 30

Latitude: 30<sup>deg</sup> 30<sup>7 min</sup> 37<sup>11 sec</sup> N Longitude: 08<sup>12 degrees</sup> 84<sup>15 min</sup> 45<sup>2 sec</sup> W Sequential number: 1

Lat-long accuracy: 2<sup>to</sup> 6<sup>N</sup> 8<sup>S</sup> R 8<sup>E</sup> 24 Sec NW NW SW

Local well number: J115BC2406S08W Other number: \_\_\_\_\_ B & M

Local use: 158 Owner or name: JAMES MADORE Address: Ocean Springs

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Reppure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other \_\_\_\_\_ H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Temperature cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 400 Meas. accuracy \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft 390 Casing type: PVC; Diam. \_\_\_\_\_ in \_\_\_\_\_

Finish: (A) porous concrete, (B) gravel w. (perf.), (C) gravel w. (screen), (D) horiz. gallery, (E) open end, (F) perf., (G) screen, (H) sd. pt., (I) shored, (J) open hole, (K) other \_\_\_\_\_ S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other \_\_\_\_\_ H

Date Drilled: 973 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Coast

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. \_\_\_\_\_ 1 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_ (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft \_\_\_\_\_ LSD 75 Accuracy: \_\_\_\_\_

Date meas: 673 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

J115

Well No. \_\_\_\_\_

**PUNCHED**

Latitude-longitude \_\_\_\_\_

N

S

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

0.3

Section: \_\_\_\_\_

D

Drainage Basin: \_\_\_\_\_

135

Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) offshore, pediment, hillside, terrace, undulating, valley flat, (E) (F) (R) (K) (L) (P) (S) (T) (U) (V)

MAJOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

TM

aquifer, formation, group \_\_\_\_\_

MZ

Lithology: \_\_\_\_\_

S

Origin: \_\_\_\_\_

3

Aquifer Thickness: \_\_\_\_\_

40 ft

Length of well open to: \_\_\_\_\_

ft \_\_\_\_\_

10

Depth to top of: \_\_\_\_\_

ft \_\_\_\_\_

360

MINOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

\_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

\_\_\_\_\_

Lithology: \_\_\_\_\_

\_\_\_\_\_

Origin: \_\_\_\_\_

\_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft \_\_\_\_\_

Length of well open to: \_\_\_\_\_

ft \_\_\_\_\_

\_\_\_\_\_

Depth to top of: \_\_\_\_\_

ft \_\_\_\_\_

\_\_\_\_\_

Intervals Screened: \_\_\_\_\_

2" PVC

Depth to consolidated rock: \_\_\_\_\_

ft \_\_\_\_\_

\_\_\_\_\_

Source of data: \_\_\_\_\_

ft \_\_\_\_\_

Depth to basement: \_\_\_\_\_

ft \_\_\_\_\_

\_\_\_\_\_

Source of data: \_\_\_\_\_

ft \_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

ft \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_

gpd/ft \_\_\_\_\_

\_\_\_\_\_


Coefficient Storage: \_\_\_\_\_

ft \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

7115