

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by MAH Source of data BOWC Date 7/30/75 Map 33

State 28 County Jackson 30

Latitude: 30<sup>deg</sup> 30<sup>min</sup> 30<sup>sec</sup> N Longitude: 08<sup>deg</sup> 85<sup>min</sup> 13<sup>sec</sup> W Sequential number:     

Lat-long accuracy: 5<sup>0</sup> T 6<sup>0</sup> S R 9<sup>0</sup> W Sec 23

Local well number: 0134 2304509W Other number:      B & M     

Local use: 209 Owner or name: BILL MOONEY Address: Ocean Springs, MS

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec H  
(S) Stock, Instit, Unused, Repressure, Recharge, Desal, P-S, Desal, other, Other

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W  
(D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z)

DATA AVAILABLE: Well data      Freq. W/L meas:      Field aquifer char.     

Hyd. lab. data:     

Qual. water data; type:     

Freq. sampling:      Pumpage inventory; no. period:      yes     

Aperture cards:     

Log data:     

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 428 ft Meas. rept. accuracy 3

Depth cased; (first perf.) 413 ft Casing type: PVC Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air rot., (H) reverse percussion, (I) rotary, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 975 Pump intake setting:      ft

Driller: Constal D & S Co address     

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb, (L) other S Deep      Shallow 40

Power (type): diesel, elec, nat gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 3

Descrip. MP:      ft above      ft below LSD, Alt. MP     

Alt. LSD:      Accuracy (source)     

Water Level:      ft above MP; 30 ft below LSD Accuracy:     

Date meas: 375 Yield: 20 gpm Method determined     

Drawdown:      ft Accuracy:      Pumping period      hrs

QUALITY OF WATER DATA: Iron      ppm Sulfate      ppm Chloride      ppm Hard.      ppm

Sp. Conduct      K x 10<sup>6</sup> Temp.      °F Date sampled     

Taste, color, etc.     

Well No.

J134

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

D

Drainage Basin: \_\_\_\_\_

135

Subbasin: \_\_\_\_\_

Topo of well site: (D) (C) (E) (F) (H) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp  
(P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

TM

MZ

Lithology: \_\_\_\_\_

US

Origin: \_\_\_\_\_

3

Aquifer Thickness: \_\_\_\_\_

38

Length of well open to: \_\_\_\_\_ ft

15

Depth to top of: \_\_\_\_\_ ft

390

MINOR AQUIFER:

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft

\_\_\_\_\_

Depth to top of: \_\_\_\_\_ ft

\_\_\_\_\_

Intervals Screened:

Depth to consolidated rock: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_

gpd/ft

\_\_\_\_\_

Coefficient Storage: \_\_\_\_\_


Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>

Spec cap: \_\_\_\_\_

gpm/ft

Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_