

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WRD Exp. (GW) Site id 303002088404101K38 Well No. E log # 37  
April 1966  
U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION  
Site ID 303002088404101 C5=CL

MASTER CARD

Record by T.N.S. Source of data Driller Date 10/23/59 Map

State 29 52 28 County (or town) JACKSON 30

Latitude: 3 0 5 0 0 2 N Longitude: 0 8 8 2 0 4 7 W Sequential number: 1

Lat-long accuracy: 2 1 6 6 7 0 Sec 27 NENWSW NW 19

Local well number: K 0 3 8 B B 2 7 0 6 5 0 7 W Other number: B & M

Local use: 0 0 6 Owner or name: Hygiene Franchis

Owner or name: BLUFF CR CAN CO Address: Frozen Foods 11-82 SW

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist (P)

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other (H)

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed (W)

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  no. period:

Aperture cards:  yes

Lcg data: 0-14'

GALTIER  
NORTH  
395A  
  
3/29/93  
C=40.1  
ph=5.8

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 14.4 ft Meas. 6

Depth cased: (first perf.) 12.4 ft Casing type: Steel; Diam. 6 in

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), horiz. open end, other (S)

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air reverse, (F) percussion, (G) rot., (H) rot., (I) air reverse, (J) air reverse, (K) air reverse, (L) air reverse, (M) air reverse, (N) air reverse, (O) air reverse, (P) air reverse, (Q) air reverse, (R) air reverse, (S) air reverse, (T) air reverse, (U) air reverse, (V) air reverse, (W) air reverse, (X) air reverse, (Y) air reverse, (Z) air reverse (H)

Date Drilled: 9-5-58 Pump intake setting: 5 ft

Driller: Colville Wry, Co. name address

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb, (L) other (T) Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 5 Trans. or meter no. 5

Descrip. MP 20 ft above LSD, Alt. MP 30 ft below LSD, Alt. MP 4

Alt. LSD: 30 Accuracy: 4

Water Level: 21 ft above MP; 21 ft below LSD Accuracy: 6

Date meas: 0-5-8 Yield: 0 gpm Method determined

Drawdown: 0 ft Accuracy: 0 Pumping period: 0 hrs

QUALITY OF WATER DATA: Iron 0 ppm Sulfate 0 ppm Chloride 0 ppm Hard. 0 ppm

Sp. Conduct 0 K x 10<sup>6</sup> Temp. 0 °F Date sampled 0

Taste, color, etc.

Well No. K38

Well No. K38

Latitude-longitude \_\_\_\_\_  
 \_\_\_\_\_ d m s N  
 \_\_\_\_\_ d m s S

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: \_\_\_\_\_ Section: 0.3

D Drainage Basin: 130 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp  
 (Q) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TP \_\_\_\_\_ aquifer, formation, group GF

Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 20 Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient \_\_\_\_\_ m/ft; Number of geologic cards: \_\_\_\_\_



Well No. K38