

SITE ID-302826088305501

WRD Exp. (GW)  
April 1966

Well No.

M29

WELL SCHEDULE

395B

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J. HARRELL Source of data BOWC Date 4/8/68 Map \_\_\_\_\_  
 State 44 28 County (or town) JACKSON 30  
 Latitude: 30<sup>deg</sup> 28<sup>min</sup> 26<sup>sec</sup> N Longitude: 088<sup>degrees</sup> 30<sup>min</sup> 55<sup>sec</sup> Sequential number: 7  
 Lat-long accuracy: 4 T. 6 R. 5 Sec 312 SE SE  
 Local well number: M029DD3106505W Other number: \_\_\_\_\_ B & M  
 Local use: 006 Owner or name: \_\_\_\_\_  
 Owner or name: ELBERT WHATLEY Address: HELENA

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Reprussure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes,  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 152 ft Meas. 3  
 Depth cased: 147 ft Casing type: \_\_\_\_\_; Diam. 2 in

Finish: (C) concrete, (F) gravel w. concrete, (G) gravel w. (perf.), (H) horiz. open, (I) screen, (J) gallery, (K) end, (L) other \_\_\_\_\_ 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd, (E) jetted, (F) air rot., (G) reverse, (H) percuss, (I) rotary, (J) driven, (K) wash, (L) other \_\_\_\_\_ 14

Date Drilled: 11/12/63 963 Pump intake setting: \_\_\_\_\_ ft

Driller: Colville Water Supply  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ J Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. \_\_\_\_\_ S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above ft below LSD. Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 4

Water Level: 10 ft above below MP; 10 ft above below LSD Accuracy: \_\_\_\_\_ D

Date meag: 11/12/63 N63 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. M29

Well No. M 29

Latitude-Longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section:

Drainage Basin: 13Q Subbasin:

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: TP series 121GRMF aquifer, formation, group

Lithology: S Origin: 2 Aquifer Thickness: ft

Length of well open to: ft 5 Depth to top of: ft

MINOR AQUIFER: series aquifer, formation, group

Lithology: Origin: Aquifer Thickness: ft

Length of well open to: ft Depth to top of: ft

Intervals Screened: 2" STAINLESS

Depth to consolidated rock: ft Source of data:

Depth to basement: ft Source of data:


Surficial material: Infiltration characteristics:

Coefficient Trans: gpd/ft Coefficient Storage:

Coefficient Perm: gpd/ft<sup>2</sup>; Spec cap: gpm/ft; Number of geologic cards:

*5 miles NE of Moss Point*

formations ed	from	to
Sand	0	84
Clay	84	136
Sand	136	152



Well No. M 29

