

PUNCHED and VERIFIED
WELL RECORD INFORMATION

WRD Exp. (GW)
April 1966

Well No. M 70

WELL SCHEDULE

39513

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. HARRELL Source of data BOWC Date 4/9/68 Map

State 23 28 County (or town) JACKSON 30

Latitude: 302930N Longitude: 088347W Sequential number: 1

Lat-long accuracy: 4 T. 6 R. 5 Sec 39 18 SW

Local well number: M070BC3006505W Other number: B & M

Local use: 158 Owner or name: FELIX ROBERTS Address: 1415 BILLY ST MOSS POINT

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist D

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0

Hyd. lab. data: 0

Qual. water data; type: 0

Freq. sampling: 0 Pumpage inventory: 0 no, period: 0

Aperture cards: 0 yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 47 ft Meas. 47 rept 3

Depth cased: 42 ft Casing type: GALV. ; Diam. 1 1/4 in

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open perf., (P) screen, (S) sd. pt., (T) shored, (W) open hole, (X) other, (Z) other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 8/26/67 967 Pump intake setting: 0 ft

Driller: Cook with well source

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other J Deep 0 Shallow 40

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P. 5 Trans. or meter no. 0

Descrip. MP 0 above ft below LSD, Alt. MP 0

Alt. LSD: 110 Accuracy: 0

Water Level: 4 ft above below MP; 4 ft below LSD Accuracy: 0

Date meas: 8/26/67 867 Yield: 10 gpm 10 Method determined 0

Drawdown: 0 ft Accuracy: 0 Pumping period 0 hrs

QUALITY OF WATER DATA: Iron 0 ppm Sulfate 0 ppm Chloride 0 ppm Hard. 0 ppm

Sp. Conduct 0 K x 10⁶ Temp. 0 °F Date sampled 0

Taste, color, etc. 0

WELL NO. M70

Well No. M70

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: _____
D Drainage Basin: 130 Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (K) (L) _____
 (P) (S) (T) (U) (V) _____
 offshore, pediment, hillside, terrace, undulating, valley flat _____

MAJOR AQUIFER: _____ system _____ series 6 aquifer, formation, group GA CTRL
 _____ _____ _____ _____ _____

Lithology: _____ Origin: 2 Aquifer Thickness: _____ ft
 Length of well open to: _____ ft _____ Depth to top of: _____ ft _____

MINOR AQUIFER: _____ system _____ series _____ aquifer, formation, group _____
 _____ _____ _____ _____ _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft
 Length of well open to: _____ ft _____ Depth to top of: _____ ft _____

Intervals Screened: 1/4" PLASTIC

Depth to consolidated rock: _____ ft _____ Source of data: _____

Depth to basement: _____ ft _____ Source of data: _____


Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____

7 miles NE of Escatawpa

RED CLAY	0	10
FINE SAND	10	30
BLUE CLAY	30	39
MEDIUM COARSE SAND + GRAVEL	39	47



Well No.

M70

