

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WRD Exp. (GW)  
April 1966

Well No. N186  
Elog #30

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by OT Source of data E Log Date 3/21/68 Map \_\_\_\_\_  
 State Miss. 28 County (or town) Jackson 30  
 Latitude: 30<sup>1</sup> 27<sup>2</sup> 21<sup>3</sup> N<sup>4</sup> Longitude: 08<sup>12</sup> 84<sup>13</sup> 95<sup>14</sup> 4<sup>15</sup> Sequential number: 1<sup>19</sup>  
 Lat-long accuracy: 2<sup>20</sup> T. 7<sup>21</sup> N. 8<sup>22</sup> E. Sec 29, NE<sup>23</sup>, NE<sup>24</sup>  
 Local well number: N186A2907508W Other number: \_\_\_\_\_ B & M  
 Local use: 051 Owner or name: Nealy Seymour  
 Owner or name: NEALY SEYMOUR Address: \_\_\_\_\_

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist P  
 (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec,

water: (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other H  
 Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: E Log 0-405 ft.

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 405 Meas. rept 4  
 Depth cased: \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in  
 Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd. rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other  
 Date Drilled: 10-9-58 9:58 Pump intake setting: \_\_\_\_\_ ft

Driller: Hattiesburg Butane Co. address \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (Z) other  
 Deep  Shallow

Power (type): nat diesel, elec, gas, gasoline, hand, gas, wind; LP H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 20 t. 35 Accuracy: (source) 4

Water Yield: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meag: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc.

*Before Log*

Well No.

N186

