

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by WTO Source of data Bowc Date 10/68 Map \_\_\_\_\_

State 28 County (or town) Jackson 30

Latitude: 30° 25' 55" N Longitude: 08° 05' 21" W Sequential number: 1

Lat-long accuracy: 5 T. 7 S. R. 9 E. Sec 15

Local well number: N 211 Other number: \_\_\_\_\_

Local use: 072 Owner or name: \_\_\_\_\_

Owner or name: MILTON JOHNSON Address: Biloxi, Miss.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ A

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

TD 300'

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 280 Meas. accuracy \_\_\_\_\_

Depth cased: (first perf.) \_\_\_\_\_ ft 260 Casing type: PVC; Diam. 4X2 in \_\_\_\_\_

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, end, (I) open hole, (J) other \_\_\_\_\_ P

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) wash, (M) other \_\_\_\_\_ H

Date Drilled: 5/29/68 9:6:8 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: M+B Drilling LYMAN

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other \_\_\_\_\_ S Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): S nat, diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ LP, Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 4

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft \_\_\_\_\_ below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_ 6

Date meag: 5:6:8 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. N 211

Well No. N-211

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD 03 Section: 03

D Drainage Basin: 130 Subbasin: 24

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat 27

MAJOR AQUIFER: T.P. system series T.P. aquifer, formation, group GF

Lithology: U.S. Origin: 3 Aquifer Thickness: 3 ft

Length of well open to: 20 ft Depth to top of: 260 ft 260

MINOR AQUIFER:    system series    aquifer, formation, group   

Lithology:    Origin:    Aquifer Thickness:    ft

Length of well open to:    ft Depth to top of:    ft   

Intervals Screened: 260' - 280'


Depth to consolidated rock:    ft Source of data:   

Depth to basement:    ft Source of data:   

Surficial material:    Infiltration characteristics:   

Coefficient Trans:    gpd/ft    Coefficient Storage:   

Coefficient Perm:    gpd/ft<sup>2</sup>; Spec cap:    gpm/ft; Number of geologic cards:   



Well No. N-211