

OK

Well No. N 239

WELL SCHEDULE

390A

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION  
PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J.C. Source of data BOWC Date 8/10/69 Map \_\_\_\_\_

State 28 County (or town) Jackson 30

Latitude: 30 26 00 N Longitude: 08 8 52 30 Sequential number: 3

Lat-long accuracy: 3 T. 7 S. R. 9 Sec. 16 t. SW t. NE

Local well number: N 239 CA 1607 509 W Other number: \_\_\_\_\_

Local use: 188 Owner or name: J. P. TIBLIER Address: 555 St. Martin  
Biloxi, Ms.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data 70 Freq. W/L meas.: 71 Field aquifer char. 72

Hyd. lab. data: 73

Qual. water data; type: 74

Freq. sampling: 75 Pumpage inventory: 76

Aperture cards: 77

Log data: 78 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 275 ft Meas. rept accuracy 24 3

Depth cased; (first perf.) 260 ft Casing type: Galv. Diam. in 2

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. open end, other 31

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) reverse percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other 32 H

Date Drilled: 969 Pump intake setting: \_\_\_\_\_ ft 36 38

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other 39 Deep 40 J

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 41 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 10 Accuracy: CI 10 47 4

Water Level 22 ft above \_\_\_\_\_ ft below MP; Ft below LSD 22 Accuracy: \_\_\_\_\_ 52 D

Date meas: 769 Yield: \_\_\_\_\_ gpm 10 Method determined 61

Drawdown: \_\_\_\_\_ ft 62 Accuracy: \_\_\_\_\_ 63 Pumping period \_\_\_\_\_ hrs 64 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm 69 Sulfate \_\_\_\_\_ ppm 70 Chloride \_\_\_\_\_ ppm 71 Hard. \_\_\_\_\_ ppm 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> 73 Temp. \_\_\_\_\_ °F 74 76 Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

Well No.

N 239

Well No. N 239

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 135 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat (S) (T) (U) (V) \_\_\_\_\_

MAJOR AQUIFER: system \_\_\_\_\_ series TP aquifer, formation, group GF

Lithology: 3 Origin: 3 Aquifer Thickness: 20 ft

Length of well open to: \_\_\_\_\_ ft 10 Depth to top of: \_\_\_\_\_ ft 255

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 2" SS


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. N 239