

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WRD Exp. (GW)  
April 1966

Well No. 03

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

#### MASTER CARD

Record by T.N.S Source of data Driller Date 7/17/58 Map \_\_\_\_\_

State 28 County (or town) JACKSON 30

Latitude: 30° 26' 41" N Longitude: 088° 43' 14" W Sequential number: 1

Lat-long accuracy: 2 T. 7 S. R. 7 E. Sec 7, 5E 1/2, 5E 1/2, \_\_\_\_\_

Local well number: 0003000707507W Other number: \_\_\_\_\_

Local use: 090 Owner or name: \_\_\_\_\_

Owner or name: D.R. L. SMITH Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (R) (S) (T) (U) (V) (W) (X) (Z) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: USGS S-24-56

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

#### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 420 Meas. \_\_\_\_\_ 6

Depth cased: \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horz. gallery, (I) open end, (J) percuss, (K) air rot., (L) air bored, (M) cable, (N) dug, (O) jetted, (P) air percussion, (R) reverse rot., (S) screen, (T) sd. pt., (U) shored, (V) open hole, (W) other \_\_\_\_\_ 5

Method Drilled: (A) air rot., (B) air bored, (C) cable, (D) dug, (H) jetted, (J) air percussion, (K) reverse rot., (L) air bored, (M) cable, (N) dug, (O) jetted, (P) air percussion, (R) reverse rot., (S) screen, (T) sd. pt., (U) shored, (V) open hole, (W) other \_\_\_\_\_ H

Date Drilled: 957 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: L.L. GARLAND

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): nat, diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ LP \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 4

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD 43 Accuracy: \_\_\_\_\_ 6

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

03

