

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WRD Exp. (GW)  
April 1966

Well No. Ø 16

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by EW. Reed Source of data Driller Date 5/39 Map \_\_\_\_\_

State 28 County (or town) JACKSON 30

Latitude: 30° 23' 19" N Longitude: 088° 38' 23" W Sequential number: 1

Lat-long accuracy: 2 T. 7 S. R. 7 W. Sec 36, NW  $\frac{1}{4}$ , SE  $\frac{1}{4}$ , \_\_\_\_\_ B & M

Local well number: Ø 16 B D 36 Ø 7 50 7 W Other number: \_\_\_\_\_

Local use: Ø 24 \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: E B TOWNS END Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 716 Meas. rept. accuracy \_\_\_\_\_ 6

Depth cased: \_\_\_\_\_ ft 686 Casing type: stud; Diam. 2 1/2 in \_\_\_\_\_ 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (Ø) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Ø) other \_\_\_\_\_ 5

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Ø) other \_\_\_\_\_ 4

Date Drilled: 935 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 38

Driller: Fred Suter name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (Ø) other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 40

Power (type): nat diesel, elec, gas, gasoline, hand, gas, wind; LP H.P. \_\_\_\_\_ T Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_ (source) \_\_\_\_\_ 4

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_ 52

Date meas.: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 35 Method determined \_\_\_\_\_ Ø

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

Well No. Ø 16

