

WELL SCHEDULE

PUNCHED DEC 6 1973

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by JCM Source of data BOWC Date 10-72 Map \_\_\_\_\_

State 28 County (or town) Jackson 30

Latitude: 30° 23' 11" N Longitude: 088° 38' 17" W Sequential number: 1

Lat-long accuracy: 3 T 7 R 7 Sec 36, S 1, SE 1, SW 1 B & M

Local well number: 0211DC3607S07W Other number: \_\_\_\_\_

Local use: 158 Owner or name: \_\_\_\_\_

Owner or name: C. KILLINGSWORTH Address: Gautier

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist, (W) \_\_\_\_\_ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) P S, (P) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other \_\_\_\_\_ H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_

Structure cards: \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 310 Meas. rept. accuracy \_\_\_\_\_ 3

Depth cased: (first perf.) \_\_\_\_\_ ft 300 Casing type: PVC; Diam. \_\_\_\_\_ in \_\_\_\_\_ 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open perf., (P) screen, (S) sd. pt., (T) shored, (W) open hole, (X) other, (Z) other \_\_\_\_\_ S

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) air percussion, (P) rotary, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ H

Date Drilled: 9:22 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 38

Driller: Coast name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 40

Power (type): diesel, X gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ / \_\_\_\_\_ 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft. below LSD 20 Accuracy: \_\_\_\_\_ 52 D

Date meas.: 5:72 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 12 Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 74 76 77 79

Taste, color, etc. \_\_\_\_\_

Well No. \_\_\_\_\_

**PUNCHED**  
7 110

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03  
20 21

Section: \_\_\_\_\_

D  
22

Drainage Basin: \_\_\_\_\_

13Q  
23 25

Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (O) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TP \_\_\_\_\_ aquifer, formation, group GF \_\_\_\_\_

Lithology: \_\_\_\_\_ S \_\_\_\_\_ Origin: \_\_\_\_\_ 3 \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ 100 ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 10 \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 210 \_\_\_\_\_

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ \_\_\_\_\_ Origin: \_\_\_\_\_ \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ \_\_\_\_\_

Intervals Screened: 2" PVC


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

211