

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES

**PUNCHED**  
DEC 6 1973

MASTER CARD

Record by WTO Source of data MSGs Date 10/72 Map \_\_\_\_\_

State MISS 28 County (or town) JACKSON 30

Latitude: 30<sup>2</sup>26<sup>1</sup>11<sup>1</sup>N<sup>1</sup> Longitude: 08<sup>12</sup>84<sup>15</sup>31<sup>2</sup>2<sup>19</sup> Sequential number: 1

Lat-long accuracy: 2<sup>20</sup> T 8<sup>25</sup> N 7<sup>30</sup> R 18<sup>35</sup> Sec NE 18 NW SE

Local well number: Φ 213 A 1808 S 07W Other number: Well #2

Local use: 024204 Owner or name: Sutter River Prop

Owner or name: ST ANDREWS Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: P

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other P

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Φ Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. Φ

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: E log 38' - 726' DE

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 712 Meas. rept 3

Depth cased: 652 Casing type: Steel Diam. 10

Finish: porous concrete, gravel w. (perfl.), gravel w. (screen), horiz. gallery, open end, other S

Method: air bored, cable, dug, hyd jetted, air rot., percussive, rotary, other H

Date Drilled: 8-16-72 9:7:2 Pump intake setting: \_\_\_\_\_

Driller: SUTTER

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other Deep

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 30 Trans. or meter no. V

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 8 Accuracy: topo

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: 117

Date meas: 072 Yield: 350 gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

11/7/85  
WL = 36.24  
MP = 50

Well No. Φ 213



St. Andrews Water + Sewer, Inc.

ELOG #204

JACKSON

Ø213

10-31-72

MISSISSIPPI  
BOARD OF WATER COMMISSIONERS  
416 North State Street  
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

10-31 19 72 Sutter Well Works Jackson  
date well completed firm name county well located

LANDOWNER: St. Andrews on  
the Bay #2  
Box 68 Singing River Property  
Ocean Springs, Miss.  
(mailing address)

description of formations encountered	from	to
Sand	0	200
Clay	200	458
Sand	458	500
Clay	500	548
Sand	548	584
Clay	584	640
Sand	640	727

WELL LOCATION:  
sec. 12 T. 8 S. R. 7 W.  
5 miles SW of Gautier  
(distance) (direction) (nearest town)

Location on permit:  
SE/NE S18T08S R07W

WELL PURPOSE: sub-division  
(home, irrigation, municipal, industrial)

WELL COMPLETION DATA:  
(1) diameter (inches) 10" x 6"  
(2) total depth (feet) 717'  
(3) static water level (feet) 17' below top of ground  
(4) casing steel 652'  
(material) (depth)  
10" & 6" if telescope see back.  
(size)  
(5) screen 60' 652'  
(length) (depth to top)  
6" all s. s. rod  
(size) (material)  
(6) pump 30 350  
(HP) (yield gpm)  
elec.  
(type power)  
(7) electric log yes  
(yes or no)  
M. G. S.  
(organization running log)  
(8) how well bottom plugged 5' blank  
pipe below screen

DRILLERS REMARKS:

