

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**PUNCHED**

MASTER CARD

DEC 11 1973

Record by JAC Source of data Bowc Date 12/10/73 Map \_\_\_\_\_  
 State 28 County (or town) JACKSON 30  
 Latitude: 30<sup>deg</sup> 24<sup>min</sup> 30<sup>sec</sup> N Longitude: 08<sup>deg</sup> 8<sup>min</sup> 39<sup>sec</sup> 00 Sequential number: 1  
 Lat-long accuracy: 4<sup>ft</sup> T 7<sup>ft</sup> S R 7<sup>ft</sup> E Sec 36 SE SW B & M  
 Local well number: φ 243 D C 36 07 S 07 W Other number: \_\_\_\_\_  
 Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_  
 Owner or name: W A RIDGDELL Address: Gautier Ms 39553

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P  
 Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instt, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other \_\_\_\_\_ H  
 Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ W  
 DATA AVAILABLE: Well data  Freq. W/L meas: \_\_\_\_\_  Field aquifer char. \_\_\_\_\_  
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes  no   
 Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 300 Meas. \_\_\_\_\_ 3  
 Depth cased: (first perf.) \_\_\_\_\_ ft 290 Casing type: PVC; Diam. \_\_\_\_\_ in 2  
 Finish: (C) concrete, (F) porous gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other \_\_\_\_\_ S  
 Method: (A) air bored, (B) cable, (C) dug, (D) hyd jettted, (E) rot., (F) percussion, (G) rotary, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other \_\_\_\_\_ H  
 Date Drilled: \_\_\_\_\_ 9:7:3 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: Coast Water Well Ser. address \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ J Deep  Shallow   
 Power (type): nat \_\_\_\_\_ LP \_\_\_\_\_ 1/2 Trans. or meter no. \_\_\_\_\_ 5  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47  
 Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ LSD \_\_\_\_\_ 25 Accuracy: \_\_\_\_\_ 52 D  
 Date meas: 10/18 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 6 Method determined \_\_\_\_\_ 61  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ \_\_\_\_\_ hrs \_\_\_\_\_ 68  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ 72  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 79  
 Taste, color, etc. \_\_\_\_\_

