

GWO2721

See also P370

P72

WRD Exp. (GW)  
April 1966

Well No. \_\_\_\_\_

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR      GEOLOGICAL SURVEY      WATER RESOURCES DIVISION

#### MASTER CARD

Record by TNS Source of data DEL4OWN Date 5/2/58 Map \_\_\_\_\_

State \_\_\_\_\_ County 28 (or town) JASN Sequential number: 30

Latitude: 30 deg 22 min 21 sec N Longitude: 088 deg 33 min 09 sec W

Lat-long accuracy: 2 T. 8 S. R. 6 W. Sec. 7, IRR, SW 1/4, NE 1/4

Local well number: P072CCO108506W Other number: \_\_\_\_\_

Local use: 088 Owner or name: Pascagoula Ice & Freezer Co, Inc.

Owner or name: PASCALIE FREEZER Address: \_\_\_\_\_

Ownership: (C) County, Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist, (W) \_\_\_\_\_ N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) Other \_\_\_\_\_ N

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: USGS 6-9-58

Freq. sampling: \_\_\_\_\_ Pumpage inventory: I yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

#### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 336 Meas. rept accuracy \_\_\_\_\_ 6

Depth cased; (first perf.) \_\_\_\_\_ ft 256 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 12

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_ S

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ H

Date Drilled: 949 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: SWITZER address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ D Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 3 25 Trans. or meter no. \_\_\_\_\_ V

Descrip. MP 12 ft above below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 16.44 Accuracy: (source) \_\_\_\_\_ 0

Water Level \_\_\_\_\_ ft above below MP; Ft below LSD 40 Accuracy: \_\_\_\_\_ G

Date meas: FALL-60 Yield: 0.60 gpm 250 Method determined \_\_\_\_\_ 0

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate 2.3 ppm Chloride 138 ppm Hard. 14 ppm

Sp. Conduct 929 K x 10<sup>6</sup> 4 Temp. °F 73 Date sampled 658


Taste, color, etc. \_\_\_\_\_

FUNCTIONAL SERVICE UNIT  
ROLLA COMPUTATION BRANCH

Sampled  
1-13-92  
w=1700  
c=900

Well No.

P72



Sampled well from open discharge pipe at top of wood tank inside ice plant tank about 15' high



~~SECRET~~

1-13-92

W = 1700

willow

Pascagoula St.

Ice Plant



P72  
C = 900

P370  
C = 400

HWY 90

