

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WRD Exp. (GW)  
April 1966

Well No. P 79

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by TNS Source of data D Date 7-60 Map \_\_\_\_\_

State 28 County (or town) JKS N Sequential number: 32

Latitude: 30 22 37 N Longitude: 08 83 40 2 Sequential number: 5

Lat-long accuracy: 5 20 T. 8 S. R. 66 Sec 7 k. \_\_\_\_\_ k. 1RR k. \_\_\_\_\_

Local well number: P079 0708506W Other number: \_\_\_\_\_ B & M

Local use: 006 Owner or name: \_\_\_\_\_

Owner or name: CLARK SEAFORD Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ C

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) \_\_\_\_\_, (C) \_\_\_\_\_, (D) \_\_\_\_\_, (E) \_\_\_\_\_, (F) \_\_\_\_\_, (H) \_\_\_\_\_, (I) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (S) Stock, Inatit, Unused, Reprressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed (D) \_\_\_\_\_, (G) \_\_\_\_\_, (H) \_\_\_\_\_, (I) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Z) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: USGS 11-22-61

Freq. sampling: I Pumpage inventory: yes \_\_\_\_\_ no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 294 Meas. \_\_\_\_\_ 6

Depth cased: (first perf.) \_\_\_\_\_ ft 274 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 3

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_ 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (H) jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ H

Date Drilled: 960 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: COLVILLE

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other \_\_\_\_\_ 7 Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H<sub>2</sub>P. \_\_\_\_\_ 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 4

Water Level \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD 36 Accuracy: \_\_\_\_\_ 6

Date meag: \_\_\_\_\_ 760 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

pump running continuously  
unable to stain w/p, sample not  
drawn - 10/27/82

well is on separate well sample  
CANNOT GET INDIVIDUAL WELL SAMPLE

Well No.

