

GW1952

P 134

WRD Exp. (GW)  
April 1966

Well No. \_\_\_\_\_

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION  
**PUNCHED**

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by EHR Source of data MR ANDERSON Date 6-21-56 Map \_\_\_\_\_

State 28 County (or town) JKSN 30

Latitude: 30 20 42 1 N Longitude: 92 23 18 Sequential number: 1

Lat-long accuracy: 30 T. B S. R. 6 W. Sec 6 t. IRR t. SE t. \_\_\_\_\_

Local well number: P134 00608506W Other number: \_\_\_\_\_ B & M

Local use: 064 Owner or name: \_\_\_\_\_

Owner or name: PASCAGOULA Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ M

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, \_\_\_\_\_ P

Use of well: (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: USGS 5-13-59 \_\_\_\_\_

Freq. sampling: I Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 750 Meas. rept \_\_\_\_\_ accuracy \_\_\_\_\_ 6

Depth cased; (first perf.) \_\_\_\_\_ ft \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 12

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, \_\_\_\_\_ S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse, (G) trenching, (H) driven, (I) wash, \_\_\_\_\_ H

Date Drilled: 1956 9-4-56 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: LAYNE name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ T Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 40 \_\_\_\_\_ V Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 10.54 \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 0

Water Level: 13.20 ft above \_\_\_\_\_ below MP; Ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_ A

Date meas: 4-7-59 4-5-9 Yield: \_\_\_\_\_ gpm 280 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron, 19 ppm Sulfate 1.0 ppm Chloride 240 ppm Hard. 8 ppm

Sp. Conduct 1260 K x 10<sup>6</sup> 5 Temp. °F 79 Date sampled 5-5-59

Taste, color, etc. \_\_\_\_\_

TS-719  
80' 10"  
Capped 1956

Well No. \_\_\_\_\_

P 134

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

HYDROGEOLOGIC CARD

19 SAME AS ON MASTER CARD 19 Physiographic Province: 03 Section: \_\_\_\_\_

22 D Drainage Basin: 13Q Subbasin: \_\_\_\_\_ 26

27 Top of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

28 MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TM \_\_\_\_\_ aquifer, formation, group PA 31

32 Lithology: \_\_\_\_\_ US 33 Origin: \_\_\_\_\_ 3 34 Aquifer Thickness: \_\_\_\_\_ ft

35 \_\_\_\_\_ 37 Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 40 Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 43

44 MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 45 \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_ 47

48 \_\_\_\_\_ 49 Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ 50 Aquifer Thickness: \_\_\_\_\_ ft

51 \_\_\_\_\_ 53 Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 56 Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 59

60 Intervals Screened: \_\_\_\_\_


60 \_\_\_\_\_ 63 Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ 64 Source of data: \_\_\_\_\_

65 \_\_\_\_\_ 68 Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ 69 Source of data: \_\_\_\_\_

70 \_\_\_\_\_ 71 Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_ 72

73 \_\_\_\_\_ 75 Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ 76 \_\_\_\_\_ 78 Coefficient Storage: \_\_\_\_\_

79 Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

P 134

Observation Well

County Jackson

Well No. P134

Owner's Name City of Pascagoula (Beach Well)

Location Pascagoula  
(town)

1.5 mi. South at Farnsworth Ave and Fifth St.  
(miles and direction from center of town)

Other description \_\_\_\_\_

Depth 750 Diameter \_\_\_\_\_ Date drilled \_\_\_\_\_

Formation Pascagoula

Elev. of lsd 11 Recorder \_\_\_\_\_ Type \_\_\_\_\_ No. \_\_\_\_\_

M.P. at 1.0 ft above lsd Date 1965  
*side of pump*


M.P. \_\_\_\_\_ at \_\_\_\_\_ ft above lsd. Date \_\_\_\_\_

M.P. \_\_\_\_\_ at \_\_\_\_\_ ft above lsd. Date \_\_\_\_\_

Special newly pumping well

Water Level 110 (1974) 60 (1978)

Sketch of location \_\_\_\_\_ Sketch of well head \_\_\_\_\_



Lock # 3461

10/2 8' 2"

71

2.27

66.73

1.0

65.73

11

54.73