

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WRD Exp. (GW)  
April 1966

Well No. P 230

*Destroyed 1977 BEM*  
**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**MASTER CARD**

Record by J. HARRELL Source of data BOWC Date 4/16/68 Map

State 28 County (or town) JACKSON 30

Latitude: 30<sup>deg</sup> 22<sup>min</sup> 35<sup>sec</sup> N<sup>N</sup> Longitude: 088<sup>deg</sup> 33<sup>min</sup> 39<sup>sec</sup> W<sup>W</sup> Sequential number: 1

Lat-long accuracy: 5<sup>70</sup> T. 8<sup>S</sup> R. 6<sup>W</sup> Sec 7 SW NE B & M

Local well number: P230CA0708506W Other number:

Local use: 0106 Owner or name: LAKE DRIVE-IN THEATER

Owner or name: LAKE DRIVE-IN Address: Pascagoula

Ownership: County (C), Fed Gov't (F), City, Corp or Co (M), Private (N), State Agency (P), Water Dist (S) P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other ZU

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes no; period:

Aperture cards:  yes

Log data:

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: 105 ft 105 Meas. accuracy 3

Depth cased: (first perf.) 100 ft 100 Casing type: GALV; Diam. 2 in 2

Finish: concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open perf., screen, sd. pt., shored, open hole, other 5

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) rot., (F) air percussion, (G) air reverse, (H) air reverse, (I) air reverse, (J) air reverse, (K) air reverse, (L) air reverse, (M) air reverse, (N) air reverse, (O) air reverse, (P) air reverse, (Q) air reverse, (R) air reverse, (S) air reverse, (T) air reverse, (U) air reverse, (V) air reverse, (W) air reverse, (X) air reverse, (Y) air reverse, (Z) air reverse H

Date Drilled: 4/64 9:64 Pump intake setting:  ft

Driller: Carville Water Supply address

Lift (type): (A) air, bucket, cent, jet, (B) multiple, (C) multiple, (D) multiple, (E) none, (F) piston, (G) rot, (H) submerg, (I) turb, (J) other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. S Trans. or meter no.

Descrip. MP  above ft below LSD, Alt. MP

Alt. LSD: 10 Accuracy: (source) 4

Water Level 19 1/2 ft above below MP; Ft below LSD 14 Accuracy: D

Date meas: 4/64 4:64 Yield:  gpm  Method determined

Drawdown:  ft  Accuracy:  Pumping period  hrs

QUALITY OF WATER DATA: Iron ppm  Sulfate ppm  Chloride ppm  Hard.

Sp. Conduct K x 10<sup>6</sup>  Temp. °F  Date sampled

Taste, color, etc.

Well No.

P 230

Well No. P230

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 03 Physiographic Province: \_\_\_\_\_ Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_ 13Q Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 28 29 \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_ 30 31

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 38 50 \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 41 43

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 44 45 \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_ 46 47

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 54 56 \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 57 59

Intervals Screened: \_\_\_\_\_ 2" Plastic

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ 60 63 \_\_\_\_\_ Source of data: \_\_\_\_\_ 64


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ 65 68 \_\_\_\_\_ Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_ 70 71 \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ 73 75 \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_ 76 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79

*Pascagoula*



Well No.

*P230*