

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLS DIVISION BRANCH

MASTER CARD

Record by J. Shell Source of data BOWC Date 1/69 Map \_\_\_\_\_

State 28 County (or town) Jackson 30

Latitude: 30 deg 26 min 55 sec N Longitude: 08 degrees 8 min 37 sec W Sequential number: 1

Lat-long accuracy: 5 T. 1 N. R. 6 Sec 8 B & M

Local well number: P269 0807306W Other number: \_\_\_\_\_

Local use: 006 Owner or name: \_\_\_\_\_

Owner or name: J. S. DEARMAN Address: Gautier

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data: type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 782 ft Meas. rept 3 accuracy

Depth cased; (first perf.): 772 ft Casing type: galv; Diam. \_\_\_\_\_ in

Finish: porous concrete, gravel w. (perf.), (C) gravel w. (screen), (D) horiz. gallery, (H) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) air rot., (J) percussion, (P) rotary, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 965 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other J Deep  Shallow

Power (type): nat \_\_\_\_\_ LP \_\_\_\_\_ Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 20 Accuracy: (source) CI10 4

Water Level +3 ft above \_\_\_\_\_ below MP; Ft below LSD +3 Accuracy: \_\_\_\_\_ D

Date meas: 765 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_


Well No. P 269

Well No. P 269

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD 03 Section: \_\_\_\_\_  
 Physiographic Province: \_\_\_\_\_  
 Drainage Basin: 0 13Q Subbasin: \_\_\_\_\_  
 (D) (C) (E) (P) (H) (K) (L)  
 Topo of well site: depression, stream channel, dunes, flat, hilltop, sink, swamp  
 (φ) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat  
 MAJOR AQUIFER: system \_\_\_\_\_ series T.M aquifer, formation, group PA  
 Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: 62 ft  
 Length of well open to: \_\_\_\_\_ ft Depth to top of: 720 ft  
 MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
 Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
 Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft  
 Intervals Screened: 2" SS  
 Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_  
 Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_  
 Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_  
 Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_  
 Coefficient Perm: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



sec. 8

Well No. P 269