

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by JCM Source of data BOWC Date 4-72 Map \_\_\_\_\_  
 State 28 County (or town) JAX 30  
 Latitude: 30<sup>deg</sup> 23<sup>min</sup> 32<sup>sec</sup> N Longitude: 088<sup>degrees</sup> 37<sup>min</sup> 42<sup>sec</sup> W Sequential number: 1  
 Lat-long accuracy: 3 T 7 N 6 R 6 E Sec 31, SW NW  
 Local well number: P352CB3107506W Other number: \_\_\_\_\_ B & M  
 Local use: 158 Owner or name: \_\_\_\_\_  
 Owner or name: COOK CONSTRUCTION Address: Passagoula  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dis: \_\_\_\_\_ P  
 Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other H  
 Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. W  
 DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes  no   
 Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 280 Meas. rept accuracy \_\_\_\_\_ 3  
 Depth cased: (first perf.) \_\_\_\_\_ ft 225 Casing type: PVC; Diam. \_\_\_\_\_ in \_\_\_\_\_ 2  
 Finish: (A) porous concrete, (B) gravel w. screen, (C) gravel w. (perf.), (D) horiz. gallery, (E) open end, (F) perf., (G) screen, (H) sd. pt., (I) s'ored, (J) open hole, (K) other \_\_\_\_\_ 5  
 Method drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) air percussion, (G) reverse, (H) trenching, (I) driven, (J) wash, (K) other \_\_\_\_\_ H  
 Date drilled: 972 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 38  
 Driller: Coast name \_\_\_\_\_ address \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 40  
 Power (type): X diesel, nat elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ 1 \_\_\_\_\_ 5 Trans. or meter no. \_\_\_\_\_  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 4  
 Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD \_\_\_\_\_ 21 Accuracy: \_\_\_\_\_ 2  
 Date meas: \_\_\_\_\_ 372 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 9 Method determined \_\_\_\_\_ 61  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 68  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_  
 Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. P352

Latitude-longitude \_\_\_\_\_ N  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 03 Section: \_\_\_\_\_  
19 Province: \_\_\_\_\_ 20 21

D Drainage Basin: 13Q Subbasin: \_\_\_\_\_  
22 23 25 26

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp.  
well site: (Ø) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TP \_\_\_\_\_ aquifer, formation, group SF  
28 29 30 31

Lithology: \_\_\_\_\_ US Origin: \_\_\_\_\_ 3 Aquifer Thickness: 65 ft  
32 33 34

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 215  
35 37 38 40 41 43

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
44 45 46 47

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Thickness: \_\_\_\_\_ ft  
48 49 50

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_  
51 53 54 56 57 59

Intervals Screened: 2" S.S.


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_ 76 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No. P352