

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by T.N. Shows Source of data H.L. STORK Date 8-21-58 Map Kreole

State 28 County (or town) JACKSON 39

Latitude: 30<sup>deg</sup> 24<sup>min</sup> 00<sup>sec</sup> 00<sup>N</sup> Longitude: 08<sup>degrees</sup> 82<sup>min</sup> 30<sup>sec</sup> 19<sup>W</sup> Sequential number: 1

Lat-long accuracy: 3 T. 7 R. 5 Sec 27 SE SW SW

Local well number: 0048DC2707S05W Other number: B & M

Local use: 000 Owner or name: HUGH L. STORK Address: ORANGE GROVE

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

1-14-92  
This well abandoned  
might be a possible  
water level  
measurement  
P.S.D.

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Fire, (F) Dom, (G) Irr, (H) Med, (I) P S, (J) Rec, (K) Stock, (L) Instit, (M) Unused, (N) Repressure, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other H U

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W U

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type: USGS 5-11-60

Freq. sampling:  Pumpage inventory:  yes, period:

Aperture cards:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 264 Meas. 6

Depth cased: 251 Casing type: steel; Diam. 1

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) rotary, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 9-5-57 Pump intake setting: 5 ft

Driller: John COLVILLE name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 5 Trans. or meter no. 5

Descrip. MP 8 ft above LSD, Alt. MP 8

Alt. LSD: 8.21 Accuracy: 8

Water Level: 21.25 ft above MP; 21 ft below LSD Accuracy: A

Date meas: 4-20-60 Yield: 460 gpm Method determined 61

Drawdown: 4 ft Accuracy: 5 Pumping period 6 hrs

QUALITY OF WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72 ppm

Sp. Conduct 6 K x 10 73 Temp. 74 °F Date sampled 77

Taste, color, etc. 79

Well No. Q48

Well No. Q48

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 130 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (F) (H) (K) (L) (Q) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: TP system, series \_\_\_\_\_ aquifer, formation, group GF

Lithology: US Origin: 3 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 13 Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_ system, series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

