

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by TNS Source of data DRL Date 5-4-60 Map Pascagoula N.

State 28 County (or town) JKSN 30

Latitude: 30 27 23 N Longitude: 088 30 03 Sequential number: 2

Lat-long accuracy: 2 T. 80 S. R. 50 W. Sec 54 NW, SE, SE

Local well number: Q118DD0508S05W Other number: \_\_\_\_\_

Local use: 064 Owner or name: \_\_\_\_\_

Owner or name: JACKSON COUNTY Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist C

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dcm, Irr, Med, Ind, P S, Rec, U

Use of well: (A) Anode, D-rain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed Q

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data: type: USGS 5/3/60

Freq. sampling:  Pumpage inventory: no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 202 Meas. rept accuracy 6

Depth cased: 192 Casing type: \_\_\_\_\_; Diam. in 2

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other 5

Method Drilled: air bored, cable, dug, hyd jetted, air rot., reverse, percussion, rotary, driven, wash, other H

Date Drilled: 960 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: LATNE name address \_\_\_\_\_

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H, P. S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ f: below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 13.22 Accuracy: 13

Water Level: 19.90 ft above below MP; Ft above below LSD 15 Accuracy: \_\_\_\_\_

Date meas: 5-4 Yield: 560 gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. 72 °F Date sampled \_\_\_\_\_

Taste, color, etc.: \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION SERVICE

Well No.

Well No. 9118

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** 19 **Physiographic Province:** 03 **Section:** \_\_\_\_\_

D **Drainage Basin:** 13Q **Subbasin:** \_\_\_\_\_

**Topo of well site:** (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

**MAJOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series TP \_\_\_\_\_ aquifer, formation, group CI

**Lithology:** US **Origin:** 2 **Aquifer Thickness:** \_\_\_\_\_ ft  
**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**MINOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft  
**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:** \_\_\_\_\_


**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ gpd/ft **Coefficient Storage:** \_\_\_\_\_

**Coefficient Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; **Spec cap:** \_\_\_\_\_ gpm/ft; **Number of geologic cards:** \_\_\_\_\_



Well No. 9118