

Recorded by JG
Date 6-11-86
Agency USGS

U.S. GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT

E-Log No. _____
County Jasper

WELL RECORD

Site Id 3206520885626011 R-00 T-A0 Z-40 Data rellab. 3-U C

Dist. 6-28 State 7-28 Co. 8-0611 Lat. 32.0652 Long. 107.0885626

GEN SITE DATA

Well no. 127 H10161 Location 13 N E S W 3 1 1 1 T O 3 N R 1 3 E Alt. 167315.1 17=M*

Hyd. Unit (OAC) 20703170002.1 Date 2191986105122 (YYYYMMDD)

Agency Use 83301 Well Use 23-W Water Use 24-I Hole depth 27-245.1 Well depth 28-245.1

W. 30-116.1 Date 31-11-986105122 Source 33-D

Project No. 5

LIFT

R-42 T-A0 25471 Date 38-11-986105122 Life Type 430 S1 Intake 44

Power Type 45 H.P. 46

CONSTA

R-58 T-A0 72311 Date 60-11-986105122 Orig 6370081 Name McDonald & Hill

Method 65-H Finish 66-S Remarks _____

CASINO

R-76 T-A0 72511 5911 Top csng 770 Bot. csng 78-215.1 Diam. 790-4

R-76 T-A0 72512 5911 Top csng 770 Bot. csng 78 Diam. 790

OPENINGS

R-82 T-A0 72611 5911 Top 837 215.1 Bottom 84-245.1 Type 85-S1

Diam. 87-110 Size 88

R-82 T-A0 72612 5911 Top 836 Bottom 84 Type 85

87 88

AQUIFERS

R-90 T-A0 72111 Top 91-215.1 Bot. 92 Unit Id 93-124 SPIRIT

R-90 T-A0 72112 Top 91 Bot. 92 Unit Id 93

HYDRAULICS

R-98 T-A0 9911 Unit tested 100 103

R-105 T-A0 9911 Test No. 106 107 Transmissivity (gal/d/ft) _____

108 Hydraul. cond. (gal/d/ft²) _____ Storage coeff. Boundaries _____

ANAL. R-114° T-A° 706- Year 1150° 117° 120°

R-121° T-A° Yr Begin ^{115*} 2220° Network ^{257*} 2580°

YIELD R-146° T-A° Flows/Pumped (circle one) 14701° 148- 1986/05/22° 150- 510-
Q/S 272-

OWNER R-158° T-A° 71801° Date 1590 1986/05/22° Owner No.
Owner 1610 JACKI STACK

DINIA R-189° T-A° 73601° E-Log No. 1904 192- N I S S O I S T

FIELD OW R-192° T-A° 73801° Date 1930 Temp 19600010° 197-
R-192° T-A° 73802° Date 1930 Cond 19600095° 197-
R-192° T-A° 73803° Date 1930 pH 196000400° 197-

LOG R-198° T-A° 73901° Log 1990 D° Top 200- 01- Bat 201- 245-
R-198° T-A° 73902° 1990 200- 201-

Remarks: R-1830 311- / /

184:

description of formations encountered	from	to
CLAY	0	16
RED SAND	16	25
YELLOW SAND	25	70
SHARP - LINE	70	170
BROWN SHALE	170	215
SAND & SILT	215	240

