

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

MASTER CARD

Record by J.S. Source of data Bow Date 3/70 Map \_\_\_\_\_

State 28 County (or town) Jasper Sequential number: 31

Latitude: 315851N Longitude: 0890745

Lat-long accuracy: 3 T. S. R. W. Sec. \_\_\_\_\_

Local well number: KO10AC2502N11E Other number: \_\_\_\_\_

Local use: 073 Owner of name: \_\_\_\_\_

Owner or name: STONE WINDHAM Address: Bay Sprys

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist D

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) Stock, Instit, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data: type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 491 ft Meas. accuracy 3

Depth cased: (first perf.) 483 ft Casing type: Galv ; Diam. in 2

Finish: porous concrete, gravel w. concrete, (perf.), (screen), gravel w. (screen), horiz. gallery, end, open perf., screen, sd. pt., shored, open hole, other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 970 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 2 Trans. or meter no. 7

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 370 Accuracy: (source) 4

Water Level: 96 ft above MP; 96 ft below LSD Accuracy: \_\_\_\_\_

Date meas: 170 Yield: \_\_\_\_\_ gpm Method determined 1

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

K10

Well No. K 10

Latitude-longitude

0 3 Section: 0 3

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: 0 3

D Drainage Basin: 1-3-0

Subbasin: 0 3

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system

series

T E

aquifer, formation, group

C 0

Lithology:

U S

Origin:

2

Aquifer Thickness:

576 ft

Length of well open to: 8 ft

Depth to top of: 420 ft

MINOR AQUIFER:

system

series

aquifer, formation, group

Lithology:

Origin:

Aquifer Thickness:

Length of well open to:    ft

Depth to top of:    ft

Intervals Screened:

7-slot SS

Depth to consolidated rock:    ft

Source of data:   

Depth to basement:    ft

Source of data:   

Surficial material:   


Infiltration characteristics:   

Coefficient Trans:    gpd/ft

Coefficient Storage:   

Coefficient Perm:    gpd/ft<sup>2</sup>; Spec cap:   

Number of geologic cards:   



Well No. K 10