

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by \_\_\_\_\_ Source of data MRowe Date 2-27-67 Map \_\_\_\_\_

State Miss 28 County (or town) Jasper 31

Latitude: 31<sup>deg</sup> 55<sup>7 min</sup> 27<sup>N</sup> Longitude: 089<sup>12 degrees</sup> 17<sup>15 min</sup> 39<sup>sec 18</sup> Sequential number: 1

Lat-long accuracy: 5 T. 1 S, R 10 W, Sec 17, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

Local well number: N005 \_\_\_\_\_ 170 01N10E Other number: \_\_\_\_\_

Local use: 073 \_\_\_\_\_ Owner or name: Jack McCusby

Owner or name: JACK McCUSBY Address: Bay Springs

Ownership: County, Fed Gov't, City, Corp or Co, Private State Agency, Water Dist \_\_\_\_\_

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Reprressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other \_\_\_\_\_

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (J) Oil-gas, (K) Recharge, (L) Test, (M) Unused, (W) Withdraw, (X) Nasce, (Z) Destroyed \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ yes \_\_\_\_\_ no, period: \_\_\_\_\_ yes \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 217 ft 217 Meas. repr. accuracy \_\_\_\_\_

Depth cased; (first perf.) 205 ft 205 Casing type: steel; Diam. 2 in \_\_\_\_\_

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot, (H) jetted, (J) air percussion, (P) reverse, (R) trenching, (T) driven, (V) drive wash, (W) other \_\_\_\_\_

Date Drilled: 10-14-60 960 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: W.K. Barnes Stringer Miss

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 50 ft above MP; Ft below LSD 50 Accuracy: \_\_\_\_\_

Date meas: 10/14/60 060 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

N 5

Well No. N5

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD 03 Section: \_\_\_\_\_  
Physiographic Province: \_\_\_\_\_

Drainage Basin: 130 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (S) hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: Tertiary, Eocene T $\phi$  Forest Hill FH

Lithology: Sand 5 Origin: Deltaic 3 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 12 Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

4 m. south of Bay Springs



Well No. \_\_\_\_\_

N5