

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by CJ Source of data Bowc Date 4-10-68 Map \_\_\_\_\_

State 28 County Kasper (or town) 31

Latitude: 31 55 16 N Longitude: 08 85 44 5 Sequential number: 1

Lat-long accuracy: 3 T. 1 S. R. 13 W. Sec. 13 E. SE E. SE

Local well number: Q019.D.D.1301N13E Other number: \_\_\_\_\_ B & M

Local use: 017 Owner or name Willis Parker Jr.

Owner or name: WILLIS PARKER Address: Rt. 2, Box 114, Vossburg

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (S) (T) (U) (V) (W) (X) (Z) W

DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 474 ft Meas. rept accuracy 3

Depth cased: 462 ft Casing type: Galv. Diam. 2 in

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), gallery, end, (H) open perf., (S) screen, sd. pt., (W) shored, (X) open hole, (Z) other S

Method Drilled: (A) air bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) air reverse, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 9/67 Pump intake setting: 967 ft

Driller: Peoples Oil Co. address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other T Deep 0 Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 3/4 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 206 ft above MP; Ft below LSD 206 Accuracy: \_\_\_\_\_

Date meas: 967 Yield: 3 gpm Method determined 3

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. Q19

Latitude-longitude N  
S  
 d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 0:3 Section: \_\_\_\_\_

D Drainage Basin: 73D Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) offshore, pediment, hillside, terrace, undulating, valley flat, (E) (F) (H) (K) (L) (P) (S) (T) (U) (V) \_\_\_\_\_

**MAJOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series TE \_\_\_\_\_ aquifer, formation, group CO

Lithology: \_\_\_\_\_ S Origin: \_\_\_\_\_ 2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 12 Depth to top of: \_\_\_\_\_ ft 420

**MINOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 2" Brass

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

*2 miles E. of Vossburg,*



Well No. Q19