



ANAL.

R-114° T-A° 706- | | | | | Year 1150 | | | | | 117- | | | | | 120- | | | | |

R-121° T-A° Yr Begin 1157 2227 | | | | | Network 2580 | | | | |

YIELD

R-146° T-A° Flows/Pumped (circle one) 14701° 148- | 1986 | 105 | 115 | | 150- | | | 150 | | |

Q/S 272- | | | | |

OWNER

R-158° T-A° 71801° Date 1590 | 1986 | 105 | 115 | | Owner No. \_\_\_\_\_

Owner 1610 TOWN OF SANDERSVILLE

DIAM

R-189° T-A° 73601° E-Log No. 1904 | | | | | 191- MISSISSIPPI

FIELD OW

R-192° T-A° 73801° Date 1930 | | | | | Temp 196#00010° 197- | | | | |

R-192° T-A° 73802° Date 1930 | | | | | Cond 196#00095° 197- | | | | |

R-192° T-A° 73803° Date 1930 | | | | | pH 196#00400° 197- | | | | |

LOG

R-198° T-A° 73901° Log 1990 | D | Top 200- | | | 101 | | Bot 201- | 740 | | |

R-198° T-A° 73902° 1990 | | | | | 200- | | | | | 201- | | | | |

Remarks: R-1830 311- | | | | |

184:

description of formations encountered	from	to
top soil	0	1
Ray	1	18
lumpy clay	18	21
Clay	24	33
Clay	33	40
Dark-green clay	40	176
Rock	176	178
Clay w/ marly streaks	178	206
Reddish clay	206	303 1/2
Clay w/ red streaks	303 1/2	318
Reddy streaks	318	320
Clay	320	331
Clay w/ sandy streaks	331	360
Rock	360	605
Rock	605	607
Clay w/ sea shells	607	667
Reddish clay streaks	667	690
Sand	690	728
Clay	728	740

