

*Sub E 7 1/2*

PUNCHED

APR 22 1974

FORM 9-1642 (1-68) STA ID 31404009145401

Well No. F65

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED  
MAR 18 1974

MASTER CARD

Record by JCM Source of data BOWC Date 8-72 Map 7

State 48 28 County (or town) Jones SA 34

Latitude: 314054 N Longitude: 089144 Sequential number: 1

Lat-Long accuracy: 3 T. 8 S, R 120 Sec 7, NW NW

Local well number: F065B30708N12W Other number: B & H

Local use: 194 Owner or name: Pleasant Ridge Well

Owner or name: PLEASANT RDG Address: Laurel

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instat, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other P

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data 70 Freq. W/L meas: 71 Field aquifer char. 72

Hyd. lab. data: 73

Qual. water data; type: 74

Freq. sampling: 75 Pumpage inventory: 76 yes no; period: 77 yes

Aperture cards: 78 79

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 385 ft Meas. 3

Depth cased: (first perf.) 340 ft Casing type: metal Diam. 8 in

Finish: (C) concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) other S

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 972 Pump intake setting: 36 ft 38

Driller: Roy V. Ulfert name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other S Deep 40 Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 30 V Trans. or meter no. 41

Descrip. MP 1" diam. ... 2.0' above ft below LSD, Alt. MP 47

Alt. LSD: 420 Accuracy: 47 4

Water Level: 200 ft above below MP; LSD 200 Accuracy: 200 D

Date meas: 772 Yield: 250 gpm Method determined 61

Drawdown: 62 Accuracy: 63 Pumping period 64 hrs 65 66 68

QUALITY OF WATER DATA: Iron 69 Sulfate 70 Chloride 71 Hard. 72

Sp. Conduct 73 K x 10 74 Temp. 75 Date sampled 76 77 79

Well No.

F65

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s N S d m s

HYDROGEOLOGIC CARD

Physiographic Province: \_\_\_\_\_ Section: 0.3  
Drainage Basin: 1.3:Φ Subbasin: \_\_\_\_\_

Topo of well site: (D) (C) (E) (F) (H) (K) (L) \_\_\_\_\_  
(O) (P) (S) (T) (U) (V) \_\_\_\_\_  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: system \_\_\_\_\_ series TM aquifer, formation, group CA

Lithology: us Origin: 3 Aquifer Thickness: 57 ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 6" S.S.



Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft<sup>2</sup> Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

E65