

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by H Source of data Bore Date 9-9-74 Map \_\_\_\_\_

State 024 County 28 (or town) Jones Sequential number: 34

Latitude: 214215 N S Longitude: 089075 17 degrees 15 min sec 18 Sequential number: 1

Lat-long accuracy: 4 T 8 S, R 11 E Sec 7 t. SE t. NW t. Other number: \_\_\_\_\_ B & M

Local well number: G119 DB2508N11W Owner or name: \_\_\_\_\_

Local use: 064 Owner or name: \_\_\_\_\_

Owner or name: MASONITE CORP Address: Laurel

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_  N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, \_\_\_\_\_  N

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_  W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 228 ft Meas. rept \_\_\_\_\_

Depth cased: \_\_\_\_\_ ft Casing type: Steel ; Diam. 18 in

Finish: (C) porous concrete, (F) gravel w. (H) gravel w. (O) horiz. open (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_

Date Drilled: 9-7-74 Pump intake setting: \_\_\_\_\_ ft

Driller: Dwight Payne name; address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): (nat) diesel, (LP) elec, gas, gasoline, hand, gas, wind; H.P. 40 Trans. or meter no.  \_\_\_\_\_

Descr.p. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 230 Accuracy: CI 10

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD Accuracy: \_\_\_\_\_

Date meas: 8-7-74 Yield: 500 gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. B70

Latitude-longitude \_\_\_\_\_  
N  
S

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** 19 **Physiographic Province:** 03 **Section:** \_\_\_\_\_

D **Drainage Basin:** 130 **Subbasin:** \_\_\_\_\_

**Topo of well site:** (D) (C) (E) (F) (H) (K) (L) \_\_\_\_\_  
(M) (P) (S) (T) (U) (V) \_\_\_\_\_  
offshore, pediment, hillside, terrace, undulating, valley flat

**MAJOR AQUIFER:** \_\_\_\_\_ TM \_\_\_\_\_ CA \_\_\_\_\_  
system series aquifer, formation, group

**Lithology:** \_\_\_\_\_ US **Origin:** \_\_\_\_\_ 3 **Aquifer Thickness:** 87 ft

**Length of well open to:** \_\_\_\_\_ ft 60 **Depth to top of:** \_\_\_\_\_ ft 145

**MINOR AQUIFER:** \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group

**Lithology:** \_\_\_\_\_ \_\_\_\_\_ **Origin:** \_\_\_\_\_ \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft \_\_\_\_\_ **Depth to top of:** \_\_\_\_\_ ft \_\_\_\_\_

**Intervals Screened:** \_\_\_\_\_


**Depth to consolidated rock:** \_\_\_\_\_ ft \_\_\_\_\_ **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft \_\_\_\_\_ **Source of data:** \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ gpd/ft \_\_\_\_\_ **Coefficient Storage:** \_\_\_\_\_

**Coefficient Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_