

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

*4 mi NE of Overt*  
**MASTER CARD**

Record by MAH Source of data BOWC Date 6/26/75 Map \_\_\_\_\_

State 28 County (or town) Jones 34

Latitude: 31 30 45 N Longitude: 08 8 58 10 Sequential number: \_\_\_\_\_

Lat-long accuracy: 5 T 6 N 10 E 2 \_\_\_\_\_

Local well number: Q 0 3 8 0 2 0 6 N 1 0 W Other number: \_\_\_\_\_

Local use: 194 \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: OTT PITTS Address: R-1, Overt, MS.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) \_\_\_\_\_ H

Use of well: (A) Arode, Drain, Seismic, Heat Res, Obs, Oil gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) (G) (H) (I) (M) (N) (P) (R) (T) (U) (W) (X) (Z) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ yes \_\_\_\_\_ no \_\_\_\_\_ period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 240 Meas. rept accuracy \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft 235 Casing type: PVC Diam. \_\_\_\_\_ in \_\_\_\_\_ 2

Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other \_\_\_\_\_ S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (E) jetted, (F) air rot., (G) percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other \_\_\_\_\_ H

Date Drilled: 975 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 38

Driller: Roy v West Water Well

Lift (type): (A) a.r., (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 40

Power (type): (nat) d-esel, (elec) gas, (LP) gasoline, hand, gas, wind; H.P. \_\_\_\_\_ 1 \_\_\_\_\_ S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft \_\_\_\_\_ below LSD \_\_\_\_\_ 90 Accuracy: \_\_\_\_\_ 52 D

Date meas: \_\_\_\_\_ 575 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 7 Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ \_\_\_\_\_ Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

