

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

PUNCHED and VERIFIED
ROLLA COMPUTATION BRANCH

Record by WTO Source of data Bowc Date 7/69 Map

State 28 County (or town) KEMPER 35

Latitude: 324022N Longitude: 0885105 Sequential number: 1

Lat-long accuracy: 5 T. 100 S. R. 14 W. Sec 34

Local well number: L0103410N14E Other number: B & M

Local use: 60 Owner or name: JOE NEAL Address: R#5 DE KALB

Owning: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other A

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.:

Hyd. lab. data:

Qual. water data: type:

Freq. sampling: Pumpage inventory: period:

Aperture cards:

Log data: D32

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 147 Meas. 3

Depth cased: 142 Casing type: galv. ; Diam. 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, end, (P) open perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (B) other S

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percuss, rotary, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (B) other A

Date Drilled: 5/69 9/69 Pump intake setting: 36 ft 38

Driller: Williamson Dlg. Co. address

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (B) other S Deep Shallow

Power (type): 1 nat LP S Trans. or meter no. 5

Descrip. MP ± above 47 ft below LSD, Alt. MP 47

Alt. LSD: ± 47 Accuracy: 47

Water Level: 90 ft above MP; 90 ft below LSD Accuracy: 52

Date meas: 5/69 Yield: 5 gpm Method determined 1

Drawdown: 5 ft Accuracy: 5 Pumping period: 5 hrs

QUALITY OF WATER DATA: Iron 5 ppm Sulfate 5 ppm Chloride 5 ppm Hard. 5 ppm

Sp. Conduct 5 K x 10⁶ Temp. 5 °F Date sampled 5

Taste, color, etc.

Well No.

L 10

