

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

APR 19 1973

MASTER CARD

Record by J.S. Source of data BOWC Date 1/70 Map \_\_\_\_\_

State 28 County (or town) Lafayette 36

Latitude: 34<sup>deg</sup> 24<sup>min</sup> 10<sup>sec</sup> N Longitude: 08<sup>degrees</sup> 9<sup>min</sup> 33<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 3 T. N. E. S. R. W. Sec 7 B & M

Local well number: F024DB0708S03W Other number: \_\_\_\_\_

Local use: 001 Owner or name: \_\_\_\_\_

Owner or name: REBEL CHEVROLET Address: Oxford, Ms

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (R) (T) (U) (V) (W) (X) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes no. period:

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 143 ft Meas. accuracy 3

Depth cased; (first perf.): 135 ft Casing type: PVC; Diam. in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, (C) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (S) (T) (U) (V) (W) (X) (Z) S

Method Drilled: air rot., bored, cable, dug, hyd jetted, air rot., percussion, rotary, reverse trenching, driven, drive wash, other (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) H

Date Drilled: 9:6:9 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name (L) (M) address \_\_\_\_\_

Lift (type): air, bucket, cent, jet, multiple, multiple, (cent.) (turb.) none, piston, rot, submerg, turb, other (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (Z)  Deep  Shallow

Power (type): diesel, elec., gas, gasoline, hand, gas, wind; H.P. 2 Trans. or meter no. 7

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

F 24

0340409

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: 15F Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (R) (K) (L) (S) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 28 29 \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_ 30 31 \_\_\_\_\_ Aquifer Thickness: 23 ft

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ 32 33 \_\_\_\_\_ 34 \_\_\_\_\_ Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 38 \_\_\_\_\_ 39 \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 41 \_\_\_\_\_ 42 \_\_\_\_\_ 43

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 44 45 \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_ 46 47 \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ 48 49 \_\_\_\_\_ 50 \_\_\_\_\_ Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 54 \_\_\_\_\_ 55 \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 57 \_\_\_\_\_ 58 \_\_\_\_\_ 59

Intervals Screened: 4" PVC


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ 60 \_\_\_\_\_ 61 \_\_\_\_\_ Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ 65 \_\_\_\_\_ 66 \_\_\_\_\_ Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ 70 71 \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ 73 \_\_\_\_\_ 74 \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_ 76 \_\_\_\_\_ 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No.

F24