

PUNCHED

FORM 9-1642 (1-68)

Well No. 686

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR  
6 mi N of Purvis  
MASTER CARD

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

OCT 2 1975

Record by MAH Source of data BOWC Date 7/14/75 Map \_\_\_\_\_

State 28 County (or town) Lamar 37

Latitude: 31 15 07 N Longitude: 08 93 02 3 Sequential number: \_\_\_\_\_

Lat-long accuracy: 5 3 N 15 E 4 SE SW NE

Local well number: CA Other number: \_\_\_\_\_

Local use: 161 Owner or name: \_\_\_\_\_

Owner or name: LAMAR MIDROW Address: R.D.-1, Purvis

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec. (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 172 Meas. rept. accuracy 3

Depth cased: \_\_\_\_\_ ft 167 Casing type: plastic; Diam. \_\_\_\_\_ in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horz. gallery, (J) open end, (P) perf., (S) screen, (T) sd. pr., (W) shored, (X) open hole, (Z) other S

Method: (A) air, (B) bored, (C) cable, (D) dug, (H) hyd, (J) jetted, (P) air, (R) reverse, (T) trenching, (V) driven, (W) drive, (Z) other H

Date: 975 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Small Dry Co. address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other J Deep  Shallow

Power (type): (nat) diesel, (elec) elec, gas, gasoline, hand, gas, wind; H.P. 2 Trans. or meter no. 7

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD 112 Accuracy: \_\_\_\_\_

Data meas: 675 Yield: \_\_\_\_\_ gpm 12 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

686

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: \_\_\_\_\_ **Section:** 03

**Drainage Basin:** D \_\_\_\_\_ **Subbasin:** 130

**Top of well site:** (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (M) (N) (O) (P) (S) (T) (U) (V) \_\_\_\_\_  
offshore, pediment, hillside, terrace, undulating, valley flat

**MAJOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series TM \_\_\_\_\_ aquifer, formation, group MZ

**Lithology:** \_\_\_\_\_ **Origin:** US **Aquifer Thickness:** 3 41 ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** 5 \_\_\_\_\_ ft

**MINOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:**


**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ gpd/ft **Coefficient Storage:** \_\_\_\_\_

**Coefficient Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; **Spec cap:** \_\_\_\_\_ **Number of geologic cards:** \_\_\_\_\_



Well No.