

WRD Exp. (GW)  
April 1966

Well No. N37

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

#### MASTER CARD

Record by B Source of data Buc Date 12-68 Map \_\_\_\_\_

State 28 County Jed (or town) 38

Latitude: 32<sup>deg</sup> 21<sup>min</sup> 33<sup>sec</sup> N Longitude: 08<sup>deg</sup> 36<sup>min</sup> 40<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 3 T. S. R. W. Sec. k. k. k. B & M

Local well number: N037CD1306N16E Other number: \_\_\_\_\_

Local use: 160 Owner or name: JOHANNIE BOYETTE Address: Rt 6 Mauda

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes no; period: \_\_\_\_\_

Aperture cards:  yes D

#### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 270 ft Meas. rept accuracy 3

Depth cased: (first perf.) 166 ft Casing type: \_\_\_\_\_; Diam. 4 in

Finish: porous concrete, gravel w. (perf.), (C) gravel w. (screen), (H) horiz. open perf., (Ø) gallery, end, (P) sd. pt., (S) shorec, (T) open hole, (W) other, (X) other X

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) rot., (H) hyd jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 9-6-8 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name (L) address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other  Deep  Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. T Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 500 Accuracy: (source) 6

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD Accuracy: D

Date meas: 9-6-8 Yield: \_\_\_\_\_ gpm Method determined 5

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Harc. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. N37

Well No. N37

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

2 Drainage Basin: 13A Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (Ø) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TE \_\_\_\_\_ aquifer, formation, group TU

Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: 2100 ft

Length of well open to: \_\_\_\_\_ ft 100 Depth to top of: \_\_\_\_\_ ft 170

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

N37