

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by BE Wasson Source of data John Arnold Date 10/9/61 Map \_\_\_\_\_

State 28 County 40  
(or town)

Latitude: 325220N Longitude: 0893936 Sequential number: 2  
deg 7 min 9 sec 11 S 12 degrees 13 min sec 18

Lat-long accuracy: 3 T. S, R W, Sec \_\_\_\_\_ k, \_\_\_\_\_ k, \_\_\_\_\_ k

Local well number: A002CC2312NO6E Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: JOHN ARNOLD Address: Thomstown

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char: \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: Sampled for Tritium

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 173 Meas. rept \_\_\_\_\_ accuracy \_\_\_\_\_ 6

Depth cased: \_\_\_\_\_ ft \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_

Finish: porous concrete, gravel w. (screen), gravel w. (perf.), horiz. gallery, open end, (C) (F) (G) (H) (J) (P) (S) (T) (W) (X) (Z)

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ H

Date Drilled: 959 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Granville Harning address Carthage

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_ A

Power (type): nat diesel, elec, gas, gasoline, hand, gas, wind; LP, H.P. \_\_\_\_\_ 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP 2" valve which is 1.5 ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ 385 Accuracy: (source) \_\_\_\_\_ 5

Water Level 39.79 ft above \_\_\_\_\_ below MP; Ft below LSD \_\_\_\_\_ 38 Accuracy: \_\_\_\_\_ A

Date mea: 10-9-61 Yield: 0.61 gpm \_\_\_\_\_ 20 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. A 2

